# TIC FILE COPY

# RESEARCHER'S MANUAL TO ACCOMPANY THE YUGOSLAV DILEMMA (A COMPUTER SIMULATION)

Eleanor L. Criswell, Kenneth W. Unger and Robert W. Swezey Science Applications, Inc.

Siegfried Streufert Pennsylvania State University

Paul van Rijn, Contracting Officer's Representative

Submitted by

T. Owen Jacobs, Chief LEADERSHIP AND MANAGEMENT TECHNICAL AREA

and

Joyce L. Shields, Director MANPOWER AND PERSONNEL RESEARCH LABORATORY



# U. S. Army

# Research Institute for the Behavioral and Social Sciences

February 1984

Approved for public release; distribution unlimited.

This report, as submitted by the contractor, has been cleared for release to Defense Technical Information Center (DTIC) to comply with regulatory requirements. It has been given no primary distribution other than to DTIC and will be available only through DTIC or other reference services such as the National Technical Information Service (NTIS). The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation.

84 . 05 8



UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION	PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
Research Note 84-57	A14/17H	3. RECIPIENT'S CATALOG NUMBER
Researcher's Manual to Accompany to Dilemma (A Computer Simulation)	he Yugoslav	S. TYPE OF REPORT & PERIOD COVERED
	6. PERFORMING ORG. REPORT NUMBER SAI-84-02-178	
7. AUTHOR(e)		S. CONTRACT OR GRANT NUMBER(s)
Eleanor L. Criswell, Kenneth W. Un Robert W. Swezey, and Siegfried St		MDA 903-79-C-0699
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Behavioral Sciences Research Center Science Applications, Inc. McLean, VA 22102	•	2Q162722A791
U.S. Army Research Institute for t	he Behavioral	12. REPORT DATE February 1984
and Social Sciences Alexandria, VA 22333		13. HUMBER OF PAGES 136
14. MONITORING AGENCY NAME & ADDRESS(II dilloron	t from Controlling Office)	18. SECURITY CLASS. (of this report) UNCLASSIFIED
	****	150. DECL ASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	<del></del>	
Approved for public release; distr		
18. SUPPLEMENTARY NOTES	<del>_</del>	
This research was technically moni & Management Technical Area of ARI		
19. KEY WORDS (Continue on reverse side if necessary or		
Computer Simulation Cog Test Manual Computer Simulation Testing	ision Making nitive Complexity	
This Researcher's Manual accompanition which collects a variety of p decision-making style). The manuaties in running participants throunecessary to operate the simulatio cedures, and 4) presents instructi	es the Yugoslav I articipant's resp l l) explains the gh the simulation n. 3) provides si	Dilemma (a computer simula- ponse data and then assesses e researcher's responsibili- n, 2) describes all materials tep-by-step operating pro-

DD , FORM 1473

EDITION OF 1 NOV 65 IS OBSOLETE 5/H 0102-LF-014-4401

**UNCLASSIFIED** 

### **FOREWORD**

This document is one in a series which reports on research conducted by the Behavioral Sciences Research Center at Science Applications, Inc., under Contract No. MDA 903-79-C-0699 with the U.S. Army Research Institute for the Behavioral and Social Sciences. The work on this contract has involved designing and developing a management assessment training and simulation system (MATSS), which includes a computer simulation called the "Yugoslav Dilemma," used to assess the decision-making strategy used by executive level managers. Decision making has been found to be one of the most prevalent factors in organizational management. The major documents produced by this project include:

Swezey, R. W., Streufert, S., Criswell, E. L., Unger, K. W., and van Rijn, P. <u>Development of a computer simulation for assessing decision-making style using cognitive complexity theory</u>. (SAI Report No. SAI-84-04-178) McLean, VA: Science Applications, Inc., 1984.

This report is the project final report. It describes the history of the project, theoretical (cognitive complexity theory) rationale for the simulation and its assessment measures, and a complete description of the simulation. Interested readers should refer to this report for an overview and description of the project.

Baudhuin, E. S., Swezey, R. W., Foster, G. D., and Streufert, S. An empirically derived taxonomy of organizational systems.

(SAI Report No. SAI-80-091-178) McLean, VA: Science Applications, Inc., 1980.

This document describes the factor analytic procedures used to cluster and rank order over 350 variables involved in systems theory and organizational management. The procedure yielded six factors. Factor one was multidimensional information processing including decision making. This factor lead to the decision—making emphasis of the MATSS simulation.

Swezey, R. W., Davis, E. G., Baudhuin, E. S., Streufert, S., and Evans, R. A. Organizational and systems theories: An integrated review. (SAI Report No. SAI-80-113-178) McLean, VA: Science Applications, Inc., 1980.

This 300-page literature review provides an integrated discussion relating the diverse fields of organizational and systems theory. Its contents are organized according to the taxonomy developed in Baudhuin, Swezey, Foster, and Streufert (1980).

Unger, K. W. and Swezey, R. W. <u>Programmer's manual to accompany</u> the Yugoslav dilemma (a computer simulation). (SAI Report No. SAI-83-08-178) McLean, VA: Science Applications, Inc., 1983.


This manual describes the eight programs which run the Yugoslav Dilemma. Each program is listed and annotated. Some possible program manipulations are described.

Criswell, E. L., Unger, K. W., Swezey, R. W., and Streufert, S. Researcher's manual to accompany the Yugoslav dilemma (a computer simulation). (SAI Report No. SAI-84-02-178) McLean, VA: Science Applications, Inc., 1984.

The manual 1) explains the researcher's responsibilities in running participants through the simulation, 2) describes all materials necessary to operate the simulation, 3) provides step-by-step operating procedures, and 4) presents instruction for interpreting participant profiles.

Criswell, E. L., Unger, K. W., and Swezey, R. W. <u>Participant's manual to accompany the Yugoslav dilemma (a computer simulation)</u>. (SAI Report No. SAI-84-03-178) McLean, VA: Science Applications, Inc., 1984.

This manual presents 1) instructions on how to interact with the computer during the simulation, and 2) fictional background information to set the stage for the Yugoslav Dilemma.



RESEARCHER'S MANUAL TO ACCOMPANY THE YUGOSLAV DILEMMA (A COMPUTER SIMULATION)

**EXECUTIVE SUMMARY** 

### Requirement:

The Yugoslav Dilemma is a computer simulation designed to assess the decision-making style of high-level managers in complex situations. Each participant is assisted by a researcher. The Researcher's Manual documents the duties of the researcher.

### Procedures:

The contents of the Researcher's Manual include an introduction, prerequisites for being a researcher, researcher responsibilities, and procedures. The procedures contain step-by-step instruction for 1) setting up and running the Yugoslav Dilemma and the Storm scenario practice session, and 2) computer generation of participants' decision-making style profiles. Researchers are also taught how to use preliminary unvalidated norms in discussing profiles with participants.

### Findings:

Given experience as a participant and the Researcher's Manual, the researcher can run participants through the Storm and Yugoslav Dilemma simulations and tentatively interpret the results of the assessment.

### Use of Findings:

The Researcher's Manual is a necessary tool for researchers working with the Yugoslav Dilemma.

# TABLE OF CONTENTS

																					<u>Page</u>
FOR	EWOR	D				•				•	•	•		•	•	•	•	•	•	•	iii
EXE	CUTI	VE SI	UMMARY			•				•	•			•	•	•	•	•	•	•	v
I.	INT	RODU	CTION.			•		•		•	•			•		•	•	•		•	1
11.	RES	EARCI	HER RE	SPONS	IBILI	TIE	s.			•				•		•		•	•	•	4
III.	MAT	ERIA	LS			•					•	•		•	•			•			6
	Α.	Com	puter	Equip	ment.					•	•				•			•			6
	В.	Part	ticipa	nt's l	Manua	1.					•			•	•						6
	c.	Dec	ision	Alter:	nativ	es					•					•		•			7
	D.	Note	e-taki	ng Fo	m	•					•			•	•		•				7
	Ε.		s	•																	7
	F.		n Arra																		8
IV.			ION PR	•																	12
•••	Α.		"Stor																		12
	Α.	1.	Steps																		13
		2.	Steps	22-2	7 Ru	n t	he S	Sto	rm	Sc	ena	ıri	o S	es:	sic	าก	•	•	•	•	18
		3.	Alter		•																21
	В.	The	Yugos	lav D	ilem	a S	cena	ari	۰ .	•	•	•	• •	•	•	•	•	•	•	•	23
		1.	Steps Steps																		24 25
		3.	Alter	nate :	Steps	3-	5 (	Cha	nge	Pi	ara	те	ter	Va	a 7 c	ıes		•	•	•	26
		4.	Simul	ation	Timi	ng	• •	•		•	•	•	• •	•	•	•	•	•	•	•	29
٧.	ASS	ESSMI	ENT OF	DECI	SION-	MAK	ING	ST	YLE	P	ROC	ED	URE	s.	•	•	•	•	•	•	34
	A.	Com	outer	Gener	ation	of	the	e P	rot	Fi 10	e.			•	•	•		•	•	•	34
		1.	Filin	g Sys	tem .	•		•		•		<u>.</u> .	• •	•	•	•	•	•	•	•	34
		2. 3.	Steps Steps	1-/ 8-22	Kena	me v F	rile:	es s f	on ron	Hai Ha	ra aro	וט D E	sk. isk	i	Vo1	· l un	æ	32	;	•	35
		_	to F	1 орру	Disk	Č (P	ROF:	ILE	1/	84	).	•		•				•	•	•	36
		4. 5.	Steps	23-2	B Ge	ner	ate	th •~•	e F	ro	fil	e	• •	•	•	•	•	•	•	•	38 39
		5. 6.	Steps Steps	32-3	. ri 4 Pe	rma	nen:	t S	tor	'40i	е.	•	• •	•	•	:	•	•	:	•	40
		7.	Steps														•	•	•	•	41

# TABLE OF CONTENTS (CONTINUED)

		<u>P</u>	age
В.	Inte	erpreting the Profile	42
	1. 2. 3. 4. 5.	Purpose of the Simulation	44 48 64
REFERENC	ES.		-1
APPENDI)	( A	DECISION ALTERNATIVES FOR STORM SCENARIO A	1
APPENDI)	В	DECISION ALTERNATIVES FOR YUGOSLAV DILEMMA B	-1
APPENDI)	C	NOTE-TAKING FORM	-1
APPENDI)	( D	REQUIRED MAPS	<b>-</b> 1
APPENDI)	E	LONG AND SHORT FORM INSTRUCTIONS E	-1
APPENDI)	( F	SAMPLE PARTICIPANT PROFILE	-1
APPENDI)	G	DETAILED EXPLANATIONS OF THE 14 MEASURES OF	i-1

# LIST OF TABLES

Number		Page
1	TOTAL NUMBER OF MESSAGES AND MINIMUM NUMBER FIXED MESSAGES DELIVERED BY SIMULATION PERIOD	32
2	MEASURES ON PROFILE AND MEASURES USED FOR CLASSIFI-CATION	49
3	CALCULATION OF SAMPLE PARTICIPANT'S SCORES FOR PROFILE COMPARISON	74
Α	DATA FOR SAMPLE PARTICIPANT "COMPLEX TEST"	G-2
В	MULTIPLEXITY F CALCULATION FOR PERIOD 3 FOR SAMPLE PARTICIPANT "COMPLEX TEST"	G-8
С	MULTIPLEXITY F CALCULATION FOR PERIOD 2 FOR SAMPLE PARTICIPANT "COMPLEX TEST"	G-9
D	INTEGRATION TIME WEIGHT CALCULATIONS FOR PERIOD 1 FOR SAMPLE PARTICIPANT "COMPLEX TEST"	G-10
E	CALCULATION OF QIS FOR PERIOD 3 USING SAMPLE PARTICI- PANT "COMPLEX TEST"	G-14
F	CALCULATION OF WQIS FOR PERIOD 3 OF SAMPLE PARTICI- PANT "COMPLEX TEST"	G-17
G	AVERAGE RESPONSE SPEED CALCULATION FOR PERIOD 1 FOR SAMPLE PARTICIPANT "COMPLEX TEST"	G-18

### LIST OF FIGURES

Number		<u>Page</u>
1	Researcher activities	5
2	Recommended room arrangement	9
3	Decision code numbers for eight decision alternatives in the economic area	54
4	Performance score ranges in the Yugoslav Dilemma simulation expected for unidimensional persons	71
5	Performance score ranges in the Yugoslav Dilemma simulation expected for multidimensional differentiators	72
6	Performance score ranges in the Yugoslav Dilemma simulation expected for multidimensional integrators.	73
7	Scores for sample participant "Complex Test" compared to unidimensional range	75
8	Scores for sample participant "Complex Test" compared to multidimensional differentiator range	76
9	Scores for sample participant "Complex Test" compared to multidimensional integrator range	77
A	Time-event matrix for sample participant "Complex Test"	G-3

Record Reservation - Reservation - Contraction - Contraction - Ville

### I. INTRODUCTION

This Researcher's Manual accompanies the computer simulation, "The Yugoslav Dilemma." This manual also accompanies the Storm simulation, which is usually used as a practice session for the Yugoslav Dilemma.

The goal of the Yugoslav Dilemma is to assess a participant's "decision-making style." This assessment is thought to tell if a participant, in a characteristic way, requests and acts on information when conditions are difficult and stakes are high. This assessment is an application of cognitive complexity theory. See Streufert and Swezey (1982) for a description of cognitive complexity theory.

As a researcher, you will have specific responsibilities which are discussed in the next section. Procedures for operating the simulation and interpreting participants' data are also included in this manual.

Prerequisites for being a researcher include:

- Be a participant yourself.
- Be thoroughly familiar with the Participant's Manual (Criswell, Unger, and Swezey, 1984).
- Thoroughly read this manual.
- Verify that you can operate the computer to run the simulation.

One need not be a seasoned computer programmer or operator to function as researcher. This Researcher's Manual is not designed to teach the complexities of the programs involved. See Unger and Swezey (1983) for program details. At this point, however, some computer operating guidelines may be offered:

- The ] symbol must be showing when you make an entry.
- The ← and → keys move the cursor (□) forward and backward. The cursor indicates your present location on the screen.

- Check your typing. If you enter SIMYD,0BJ or SIMYD. OBJ instead of SIMYD.0BJ, you will get an error measure.
- Find the CTRL key. This control key works like a shift key. You press CTRL and another key at the same time. This key commands the computer; it does not type. For example, if you enter CTRL C correctly, you will not see a C on the screen.
- Whenever the computer says PRESS ANY KEY TO CONTINUE, it means to press any key except CTRL, SHIFT, RESET, or REPT. Pressing any of those four keys has no effect. However, if you press CTRL and RESET at the same time, you will end the program; so do not press CTRL and RESET at the same time unless you want to end the program.
- If you have a problem, hit CTRL and RESET at the same time. This produces the ] symbol so you can backtrack and start entering again.
- Call an expert if you have major problems.

Using this manual, a researcher should be able to run a participant through the Storm and Yugoslav Dilemma simulations and generate and interpret the participant's decision-making style profile. Should major computer problems arise, however, the researcher will need to call a computer expert. Make sure all programs and data are duplicated on floppy disks in case anything happens to the floppy or hard disks during a session.

Chapter II of this manual lists the researcher's responsibilities.

Chapter III describes all the materials needed to run participants through the Yugoslav Dilemma and its practice session, the Storm scenario. Chapter III also includes a suggested room arrangement based on human factors considerations.

Chapter IV includes detailed, step-by-step instruction in operating each simulation. For each simulation, standard and alternate operating procedures are given. The alternate procedure allows a researcher to select certain parameter values whereas the standard procedure sets all parameters for the

researcher. Chapter IV introduces program changes that may affect simulation timing and information load; however, programming these changes is explained in Unger and Swezey (1983).

Chapter V provides detailed step-by-step instruction in generating decision-making style profiles. The researcher is taught to copy data files from the hard to the floppy disk then print out the profile. Chapter V also provides preliminary norms and information about interpreting and discussing a profile. This information takes into account the early developmental stage of both the simulation itself and the measures of complexity generated.

### II. RESEARCHER RESPONSIBILITIES

Your responsibilities as researcher include:

- Having all materials ready for the participant.
- Engaging computer so that the simulation will begin.
- Briefing the participant; answering questions as necessary before the simulation begins.
- Answering participant questions as necessary during the simulation; assisting participant with computer operating problems should they develop.
- After the session, operating the computer to generate the participant's decision-making style profile.
- Reviewing and discussing participant's profile with him or her.

Figure 1 presents the sequence of events for the researcher. These events are all described in this manual.




Figure 1. Researcher activities.

### III. MATERIALS

The researcher should ensure that all the following materials (A through E) are available for each participant.

### A. Computer Equipment

The computer equipment used to run the simulation includes:

- Apple II Plus computer (with Apple operating manuals)
- Amdek (or comparable) color monitor (with operating manual)
- Integral Data Systems printer with grappler interface (and paper) (with operating manual)
- Maezon hard disk drive (with operating manual) with software necessary to run the simulation (See Unger and Swezey, 1983.)
- Apple floppy disk drive
- Floppy disk labelled "MSM"
- Floppy disk labelled "PROFILE 1/84"

The floppy disk "MSM" (for Maezon System Manager) is used to activate the simulation programs which are stored on the hard disk. The "PROFILE 1/84" disk is used to generate participants' decision-making style profiles.

### B. Participant's Manual

The Participant's Manual is a document which provides basically two types of information to the participant. First, the manual provides procedures about how to participate in the simulation and how to enter responses in the computer. Second, the manual provides political, economic, historic, geographic, and military information as background to the Yugoslav Dilemma. THE RESEARCHER

MUST BE COMPLETELY FAMILIAR WITH THE PARTICIPANT'S MANUAL. THE CONTENT OF THAT MANUAL IS NOT REPEATED IN THE RESEARCHER'S MANUAL.

### C. Decision Alternatives

Decision alternatives are the choices of action available to the participant. Each scenario, the Yugoslav Dilemma and the practice session for that dilemma called "Storm," has its own set of decision alternatives. Decision alternatives for the practice session Storm are listed in the Participant's Manual and are also printed separately on one sheet of paper with the computer code number for each choice. They are also contained in Appendix A of this document.

Decision alternatives for the Yugoslav Dilemma are listed in the Participant's Manual and are also printed in a pamphlet with four two-sided pages. They are also contained in Appendix B of this document.

### D. Note-taking Form

The participant uses this form to keep track of messages received and action taken. Participants are not required to use this form, but an adequate number of copies (50 to 100) should be available. This form appears in Appendix C. Detailed instructions regarding its use are contained in the Participant's Manual.

### E. Maps

One map is required for the Storm scenario. The map has grid squares which are labelled by their x, y coordinates. During the scenario, the participant may need to enter into the computer the location of people or things. The computer

is programmed to accept and use only those coordinates from the scenario map. If a participant incorrectly enters a coordinate, the computer gives an error message and instructs the participant to enter a two-letter x coordinate and a one or two-digit y coordinate. These coordinates must be obtained from the scenario map.

Several different maps of Yugoslavia are available although only one is required for participation. The required map is the hand-drawn map of the Yugoslav region with grid squares. Each grid square may be named by using its x, y coordinates. As with the Storm scenario, the Yugoslav Dilemma simulation is programmed to accept and use only coordinates obtained from the scenario map. Other maps available are commercially prepared maps of the world and the Yugoslav region.

Appendix D contains the maps required for the Storm and Yugoslav Dilemma simulations.

### F. Room Arrangement

Figure 2 presents a suggested room arrangement (for right-handed participants).

Figure 2 shows a table with large workspace. A large desk (approximately six feet long and three feet wide) will have enough table space to hold all the equipment and provide clear workspace. Maps may be hung on the adjacent left wall within the participant's eyesight.

The printer may be located on the left of the table. The front of the printer (the side with the label) should face the front edge of the table. The printouts should be easily within the participant's reach, and there should be room for the printout to stack on the table, not on the floor.




Figure 2. Recommended room arrangement.

The video monitor should sit on top of the Apple computer with the computer near the center of the front edge of the table.

The floppy disk drive should sit on top of the hard disk drive. The floppy disk drive cable is short, so both disk drives must be close to the back of the Apple. The front sides of the disk drives point away from the Apple and sit perpendicular to the Apple. This arrangement accommodates short cable length and leaves an area clear for workspace.

Table space to the right of the Apple is workspace. This space should be large enough for the participant to store the materials and write on the note-taking forms.

Ambient lighting is important. To the extent possible, use the following guidelines for ambient lighting (Davis and Swezey, 1983):

- Diffuse rather than direct lighting should be used. Direct lighting may cause glare, fatigue, and decreased visual efficiency.
- Reduce glare by using several low intensity light sources rather than one high intensity light source.
- Dull colors should be used on workspace.
- Light colored walls are recommended.
- Place hood or shield over monitor if necessary to reduce glare.

Chair comfort and table height are also important. To the extent possible, use the following guidelines for chair and table (Davis and Swezey, 1983):

Seat width minimum is 18 inches.

- Backrest reclines 103° and participant need only move body forward 3 inches to bring eyes to "eye line."
- Chair should be padded.
- Chair height should be adjustable and chair should be on rollers.
- Knee room should be at least 20 inches wide and 18 inches deep.
- Table height should be 29 inches.

### IV. SIMULATION PROCEDURES

This chapter presents step-by-step instructions for running the Storm scenario and the Yugoslav Dilemma.

The Storm scenario is a brief practice session. Its purpose is to familiarize the participant with 1) how to enter responses into the computer, and 2) how simulations progress. Because the Storm scenario is just practice, the participant should go through it quickly. The participant should follow the step-by-step exercise in the Participant's Manual, but encourage the participant not to get bogged down — the actual decisions made do not matter. The computer stores response data, but no assessment of decision-making style will be made using the Storm scenario.

The Yugoslav Dilemma takes data on participants' decisions and assesses decision-making style. It usually takes three to six hours for a participant to complete the simulation.

Section A of this chapter provides step-by-step procedures for operating the Storm practice session. Section B gives procedures for the Yugoslav Dilemma. For each simulation, there are two operating procedures: a standard run and an alternate procedure.

### A. The "Storm" Practice Scenario

The Storm scenario may be run using either one of two procedures depending on whether the researcher wants to specify certain parameter values. The parameters that may be specified are:

- Long or short form instructions to participants.
- Use of printer and which type interface.
- Participant code name.
- Display of minute markers.

If you wish to set the parameters yourself, see Section A3 ("Alternate Steps 15 and 16 Change Parameter Values"). The parameters are explained in Section A3.

The standard run procedure sets all parameters for you. The default values (given in Section A3 below) for the parameters will be useful in running most participants.

To run the Storm scenario, follow:

- Steps 1-21 Set Up the Computer (Substitute Steps 18 and 19 with Alternate Steps 18 and 19 if you set your own parameter values.)
- Steps 22-27 Run the Scenario

### 1. Steps 1-21 Set Up the Computer

- Step 1. Check that all computer equipment is connected and plugged in. Call an expert if you have questions.
- Step 2. Open front door on floppy disk drive by gently pulling the door straight forward and up.
- Step 3. With your thumb and forefinger, grasp the floppy disk labelled MSM by the label. Keep the label facing up and away from you. Take care not to touch the disk anywhere but on the label or else the disk may be ruined.
- Step 4. Insert the disk into the disk drive. (The non-labelled edge goes in first.) When the disk is in, you will hear a click.
- Step 5. Close the door on the disk drive.
- Step 6. Turn the Apple on. The switch is on the back of the Apple on the left. If the room is arranged following the Figure 1 sketch, it is easier to reach around and with your left hand feel for the switch than it is to walk around behind the computer and look for the switch. Switch to "on" and you will hear a bleep and the disk drive whirl.

- Step 7. Turn the monitor on by pulling the "On/Vol" knob located on the right side of the front of the monitor.
- Step 8. Adjust monitor contrast by turning the "Contrast" knob located under the "On/Vol" knob.
- Step 9. You will see

DOS VERSION 3.3 08/25/80
Apple II PLUS OR ROMCARD SYSTEM MASTER
Run

Step 10. To turn on the printer, there are two switches. The "On-Off" switch is on the back upper left corner of the printer. When you switch "On," a red light "PWR" appears on the front upper right side of the printer. Over the red light you will see two red indicators. Move the left indicator to ONLINE. A red light below it will come on. The right indicator stays straight up.

Make sure plenty of paper is loaded in the printer. To load the printer, follow instructions in the printer manual or call an expert.

NOTE: If you are not using a printer, you should follow the ALTERNATE operating procedures in Section III.3 below.

- Step 11. Now you will run a program on the floppy disk to activate the programs on the hard disk. (You will load the hard disk later.) Type HH (but do not press RETURN).
- Step 12. Press the white switch on the front of the hard disk drive on the "write enabled" side (the right side).
- Step 13. The next two bulleted tasks must be done quickly in sequence, so please read the Step 13 directions completely before completing the tasks.

- Find the hard disk drive "Off-On" switch and switch-on the hard disk drive. The switch is on the back of the hard disk drive on the top right corner. (The connecting cable comes from the top left corner on the back side.) If the room is arranged following the Figure 1 sketch, it may be easy for you to feel with your right hand for the switch.
- Press RETURN on the Apple.

You will hear the hard disk whirl; the old screen disappears and a new one appears. If you turn on the hard disk before you type HH RETURN, the hard disk drive will make a loud rattle. If this happens, quickly switch off the hard disk, and try again.

### Step 14. The new screen is:

HARD DISK READY		
MSM (Y/N)? 🗆		
	 ·	

Type in N. You will then see the ] symbol.

Step 15. Type EXEC STORM, VØ3Ø
Press RETURN
You will see ]

### Step 16. In a few seconds you will see

ENTER SIMULATION VALUES ENTER D#,P#: ALL MOVES SUCCESSFUL? (Y/N):
PRINTER? (P,G,N):□
PRINTER? (P,G,N):  ENTER PARTICIPANT CODE: ENTER SCENARIO:
DISPLAY MINUTE MARKERS? (Y/N):
NEW OR RESTART? (N/R):□ NEW OR RESTART? (N/R):□

You simply wait about 30 seconds while the scenario on the hard disk is loading. You will see the boxes on the screen blinking.

Step 17. After the scenario is loaded, you will see

PRESS 1 TO BEGIN

You press! (SHIFT and the number 1).

### Step 18. Next you will see

WELCOME TO THE.....

MANAGEMENT ASSESSMENT AND

TRAINING SIMULATION SYSTEM

----- M A T S S -----

THE MATSS SIMULATIONS WERE DEVELOPED FOR THE U. S. ARMY RESEARCH INSTITUTE BY THE BEHAVIORAL SCIENCES RESEARCH CENTER OF SCIENCE APPLICATIONS, INC.

PRESS ANY KEY TO CONTINUE

You press any key.

Step 19. Next you will see

THE MATSS CONSISTS OF TWO SIMULATIONS:

- 1. THE STORM SCENARIO
  (A SHORT PRACTICE SIMULATION)
- 2. THE YUGOSLAV DILEMMA

  (A MILITARY POLITICAL DILEMMA WHICH
  ASSESSES DECISION-MAKING STRATEGY)

  PRESS ANY KEY TO CONTINUE

You press any key.

### Step 20. Next you will see

GENERAL INSTRUCTIONS FOR PARTICIPATING WILL BE PRESENTED ON THE COMPUTER.

PLEASE REFER TO THE PARTICIPANTS MANUAL FOR DETAILED INFORMATION.

PRESS ANY KEY TO CONTINUE.

You press any key.

Step 21. Next you will see a full color graphic with the title MATSS above a puzzled decision-maker. ....

[NOW YOU BRING THE PARTICIPANT INTO THE ROOM. WE DO NOT WANT THE PARTICIPANT TO SEE THE SCREEN DISPLAYED IN STEP 16.]

### 2. Steps 22-27 Run the Storm Scenario Session

The researcher may complete Steps 1-21 before the participant arrives. If there are any computer problems, they may be taken care of before the participant arrives. When the participant arrives, instructions should be given, as outlined in Step 22 below.

- Step 22. a. Greet participant, have him or her sit down at the table.
  - b. Explain that he or she will be working on two computer simulations involving crisis situations in which he or she will make decisions and take action.
  - c. Explain that the first simulation is a brief practice session, called "Storm." The purpose of "Storm" is to familiarize the participant with the computer and with procedures for making decisions.
  - d. Inform the participant that during the second simulation, the Yugoslav Dilemma, the computer will take data on his or her decisions or reactions during the simulation. Those data will be compared to

other participants' data for the purpose of determining what reaction pattern(s) or "decision-making styles" the participant used during the simulation. Assure the participant such things as intelligence or aggressive tendency are not being tested. Tell the participant that after the simulation, the computer will generate a profile, and you will discuss the profile. Tell the participant that the simulation is not validated and is highly experimental.

e. Provide agenda (all approximate times).

60 minutes - Read Participant's Manual.

30 minutes - Practice Storm simulation.

60 minutes - Part I Yugoslav Dilemma.

15 minutes - Break.

60 minutes - Part II Yugoslav Dilemma.

15 minutes - Break.

60 minutes - Part III Yugoslav Dilemma.

30 minutes - Debriefing.

NOTE: Participants may read their manuals on their own time before reporting to the session. Breaks last as long as you wish.

- f. Answer questions about the Participant's Manual. Encourage participant to practice the step-by-step exercise in the Participant's Manual during the Storm scenario.
- g. Provide note-taking forms, decision alternatives, maps, and pencils for the Storm scenario.
- Step 23. The screen from Step 21 is displayed. The participant now follows the direction on that screen and presses any key to continue. The participant may now be left alone providing all materials (Participant's Manual, decision-making alternatives, maps, note-taking forms, pencils) are available.
- Step 24. Next, three text frames, one graphic frame, and eight text frames follow. (These frames are described in the Participant's Manual.) The participant advances each frame by pressing any key.

Step 25. The participant then receives the following screen:

TIME 1200:00

2 APR 1985

HIT! TO START SIMULATION.

To hit !, the participant presses SHIFT and 1 (one) at the same time.

- Step 26. The participant goes through the Storm simulation. The researcher may be needed if the computer malfunctions. The participant should refer to his or her Participant's Manual for the answer to most questions.
- Step 27. After the session, verify that the participant knows:
  - Use of decision alternatives
  - Use of note-taking form
  - Use of computer printout
  - How to enter decisions
  - How to enter planned future decisions
  - How to enter previous messages
  - How to enter previous decisions
  - Time compression and progression

ALL THIS INFORMATION IS CONTAINED IN THE PARTICI-PANT'S MANUAL AND HAS NOT BEEN DUPLICATED IN THIS MANUAL. Additional information about time compression is presented in Section V of this manual. If the participant has completed the step-by-step exercise in the Participant's Manual, he or she is probably ready to participate in the Yugoslav Dilemma.

# 3. Alternate Steps 15 and 16 Change Parameter Values

As mentioned earlier, the standard run procedure sets parameter values for you. The list of these default parameter values follows:

ENTER D#,P#:-1,-1
ALL MOVES SUCCESSFUL? N
PRINTER? G
ENTER PARTICIPANT CODE: (left blank)
ENTER SCENARIO: STORM
DISPLAY MINUTE MARKERS?: N
NEW OR RESTART? N

(An explanation of the parameters is given below.)

The alternate run procedure allows the researcher to change parameter values. An explanation of the parameters follows.

For the alternate run procedure:

- Follow Steps 1 through 14 above.
- The following screen is displayed:

HARD DISK READY
MSM (Y/N)?

Now go to Alternate Step 15 below.

- ALT Step 15. a. Type BLOAD RUNTIME, VØ3Ø Press RETURN
  ] is displayed
  - b. Type BLOAD SIMSTORM.OBJ Press RETURNj is displayed
  - c. Type MAXFILES 2
    Press RETURN
    ] is displayed
  - d. Type CALL 6064
    Press RETURN
    ] is displayed

# ALT Step 16. Answer the next seven questions (a-g):

ENTER D#,P#:-1,1 Press RETURN

(runs long form of instructions to participants throughout simulation -See Appendix E for text of instructions.)

or

ENTER D#, P#:1,-1 Press RETURN

(runs long form of instructions through the first decision, then runs short form of instructions throughout simulation)

or

ENTER D#, P#:1,7 Press RETURN

(runs long form of instructions in first period, then runs short form through remainder of simulation)

or

ENTER D#,P#:-1,-1 Press RETURN

(runs short form of instructions throughout simulation)

b. ALL MOVES SUCCESFUL (Y/N) N (Do NOT press RETURN)

(Y option is not used in this most current version of the simulation; see Unger and Swezey (1983) for changes necessary to use this option)

c. PRINTER? (P.G.N): G or

(for grappler interface; presently used with Integral Data Systems 445 printer)

PRINTER? (P.G.N): P

(for other parallel interface cards)

PRINTER? (P,G,N): N

(for no printer)

(Do NOT press RETURN)

or

ENTER PARTICIPANT CODE: NAME (type in code name) Press RETURN

e. ENTER SCENARIO: STORM Press RETURN

f. DISPLAY MINUTE MARKERS? (Y/N): N

or

DISPLAY MINUTE MARKERS? (Y/N): Y

Minute markers are the two rightmost digits on the first line
(the "time" line) of screens
appearing during the simulation.
The first of these two digits
counts real time minutes of
elapsed simulation time. The
second number tells the real
time minute of elapsed simulation time during which the next
message can appear. Normally,
minute markers are not displayed
for participants because we do
not want them to figure out when
the next message is coming.

g. NEW OR RESTART? (N/R): N (for new session)

or

NEW OR RESTART? (N/R): Y

(to continue previously begun session; ignore coding on the screen after you type Y)

Now you are back at Step 17.

B. The Yugoslav Dilemma Scenario

The Yugoslav Dilemma may be run using either one of two procedures depending on whether the researcher wants to specify certain parameter values. The parameters that may be specified are:

- Long or short form instructions to participants.
- Use of printer and which type interface.
- Participant code name.
- Display of minute markers.

If you wish to set the parameters yourself, see Section B3 ("Alternate Steps 3 through 5 Change Parameter Values"). These parameters are explained in Section B3.

The standard run procedure sets all parameters for you. The default values (given in Section B3 below) for the parameters will be useful in running most participants.

To run the Yugoslav Dilemma, follow:

- Steps 1-6 Prepare to Run the Simulation (Substitute Steps 3, 4, and 5 with Alternate Steps 3, 4, and 5 if you set your own parameter values.)
- Steps 7-11 Run the Simulation

After the participant completes the simulation, refer to Chapter V for procedures on generating and discussing the decision-making profile.

### 1. Steps 1-6 Prepare to Run the Simulation

- Step 1. Before beginning the Yugoslav Dilemma, each participant should have 1) read the Participant's Manual, and 2) gone through the Storm scenario. Storm scenario procedures are contained in this manual.
- Step 2. If the computer is on and if the participant has just completed the Storm scenario, press CTRL and RESET at the same time. You will see the ] symbol.

or

If the computer is off, complete Steps 1 through 14 above (under Procedures, Practice Session). At the end of Step 14, you will see the ] symbol.

Step 3. Type EXEC YD, VØ3Ø Press RETURN

You will see

## Step 4. Next, this screen appears

PROGRAM SIM
ENTER D#, P#:
ALL MOVES SUCCESSFUL? (Y/N):
PRINTER? (P,G,N):

PRINTER? (P,G,N):
ENTER PARTICIPANT CODE:
ENTER SCENARIO:

DISPLAY MINUTE MARKERS? (Y/N):
NEW OR RESTART? (N/R):
NEW OR RESTART? (N/R):

You simply wait about five (5) minutes while the simulation is loading. You will see the boxes on the screen blinking.

Step 5. After the simulation is loaded, you will see

PRESS ! TO BEGIN

You press ! (SHIFT and 1).

Step 6. Next you will see a U.S. flag.
[NOW YOU BRING THE PARTICIPANT INTO THE ROOM. WE DO NOT WANT THE PARTICIPANT TO SEE THE SCREEN DISPLAYED IN STEP 4.]

# 2. Steps 7-9 Run the Simulation

Step 7. If all materials (Participant's Manual, decision alternatives, pencils, maps, note-taking forms) are available, the participant may now be left alone. After the U.S. flag, comes two more graphic frames and six frames of text. The participant advances each frame by pressing any key. (These frames are described in the Participant's Manual.)

# Step 8. The participant then receives the following screen:

TIME = 0800:00

12 JUL 1988

HIT! TO START SIMULATION

To hit!, the participant presses SHIFT and 1 at the same time.

Step 9. The participant continues through the simulation. The researcher will direct the participant when to end the simulation.

The researcher now continues with procedures in Section V, Assessment of Decision-making Style.

3. Alternate Steps 3 - 5 Change Parameter Values

As mentioned earlier, the standard run procedure sets parameter values for you. The list of these default parameter values follows:

ENTER D#,P#:-1,-1
ALL MOVES SUCCESSFUL? N
PRINTER? G
ENTER PARTICIPANT CODE: (left blank)
ENTER SCENARIO: YUGOSLAY DILEMMA
DISPLAY MINUTE MARKERS?: N
NEW OR RESTART? N

(An explanation of the parameters is given below.)

The alternate run procedure allows the researcher to change parameter values. An explanation of the parameters follows.

For the alternate run procedure:

Follow Steps 1 and 2 above.

The screen will look like (or be similar to):

HARD DISK READY MSM (Y/N)? ]

- Now go to ALT Step 3 below.
- ALT Step 3. a. Type BLOAD RUNTIME, VØ3Ø Press RETURN
  - Type BLOAD SIMYD.OBJ Press RETURN
  - c. Type MAXFILES 2 Press RETURN
  - d. Type CALL 6064 Press RETURN
- ALT Step 4. Answer the next seven questions (a-g):
  - a. ENTER D#,P#:-1,1 Press RETURN

or

ENTER D#.P#:1.-1 Press RETURN

or

ENTER D#.P#:1.1 Press RETURN

OT

ENTER D#, P#:-1,-1 Press RETURN

(runs long form of instructions to participants throughout simulation -See Appendix E for text of instructions.)

(runs long form of instructions through the first decision, then runs short form of instructions throughout simulation)

(runs long form of instructions in first period, then runs short form through remainder of simulation)

(runs short form of instructions throughout simulation)

ALL MOVES SUCCESSFUL (Y/N) N (Y option is not used in this most current version of the simulation)

c. PRINTER? (P.G.N): G

(for grappier interface; presently used with Integral Data Systems 445 printer)

or

PRINTER? (P,G,N): P

(for other parallel interface cards)

or

PRINTER? (P,G,N): N

(for no printer)

d. ENTER PARTICIPANT CODE: NAME Press RETURN

(type in code name)

e. ENTER SCENARIO: YUGOSLAV DILEMMA Press RETURN

f. DISPLAY MINUTE MARKERS? (Y/N): N

or

DISPLAY MINUTE MARKERS? (Y/N): Y

Minute markers are the two rightmost digits on the first line (the "time" line) of screens appearing during the simulation. The first of these two digits counts real time minutes of elapsed simulation time. The second number tells the real time minute of elapsed simulation time during which the next message can appear. Normally, minute markers are not displayed for participants because we do not want them to figure out when the next message is coming.

g. NEW OR RESTART? (N/R): N

(for new session).

or

NEW OR RESTART? (N/R): Y

(to continue a previous
session)

# ALT Step 5. About five minutes later, the following screen appears:

WELCOME TO THE YUGOSLAV DILEMMA

PRESS THE ! KEY TO BEGIN

You press the ! key.

Now you are back at Step 6 of the standard run procedure and may continue on from there.

## 4. Simulation Timing

#### a. Progression

The "time" line found above each frame in the simulation looks like the sample below:

TIME = 2050:00

12 JULY 1988 4

IF YOU WISH TO MAKE A DECISION, HIT THE 'D' KEY.

Four kinds of time are involved in the simulation:

- Real time
- Simulation time of day
- Simulation time
- Real minutes of simulation time

Real time is the time that is measured by normal clocks and watches. The computer does not keep track of real time.

Simulation time of day is given in hours and minutes (seconds are always 00). In this example, the time is 20 hours 50 minutes, or 8:50 pm.

In both simulations, simulation time progresses one hour for every 30 seconds of real time. Thus, in 30 real time seconds, the simulation time of day shown in the example above will be 2150. (Interruptions to this time progression are noted in 4C below.)

Real minutes of simulation time are real time minutes counted only while simulation time progresses. The Storm scenario has one period of nine real minutes of simulation time. Because simulation time does not progress during decisions, the real time length of the session varies depending on how long the participant spends making decisions and entering plans. If the participant makes no decisions, the Storm scenario will last nine real minutes. In simulation time, however, 18 hours pass in the Storm scenario.

The Yugoslav Dilemma has three periods, each with 30 real minutes of simulation time. Again, real time elapsed varies depending on how long the participant spends making decisions and entering plans. If the participant makes no decisions, the scenario will last 90 real minutes. In simulation time, 2.5 days elapse in each period and there are 7.5 days in the total dilemma.

The ratio of real time to simulation time elapsed is set in the LEDIT program. Under the present program, the time multiplier is 120 which means that 120 simulation seconds pass for each second of real time, or one hour of simulation time for every 30 seconds of real time.

LEDIT also stores the day, month, and year of the beginning of each scenario. The date progresses with simulation time and is displayed in the center of the "time" line. In the screen above, the date is July 12, 1988.

The researcher may modify the real-tosimulated time ratio and the day, month, and year of scenario origin using the LEDIT program. Use of LEDIT is discussed in Unger and Swezey (1983). As mentioned earlier (in IV.A.3.f above), minute markers may be displayed on the "time" line. If displayed, they are the two right-most digits on the time line. In the screen above, the minute markers are 4 and 6.

The first digit counts real time minutes of elapsed simulation time. This marker is a real time clock and need not have its value changed.

The second digit displays the real time minute of elapsed simulation time at which the next message will be displayed. This marker is related to the information load value used. Load values may be manipulated and changes in load value will be reflected in the second minute marker. Manipulating load is discussed in Section IV.4.b below.

#### b. Information Load

Information load refers to the number of messages presented to the participant per real time minute of simulation time. There are two types of messages, fixed and responsive. Fixed messages do not address a participant's inquiries, but responsive messages specifically address a participant's action.

Presently, information load is fixed (not free to vary depending on a participant's responses), but load has different values in different parts of the simulations. In the Storm scenario, one message is delivered every three real minutes of elapsed simulation time. For periods one, two, and three of the Yugoslav Dilemma, the values are 1 message/3 minutes, 1 message/6 minutes, and 1 message/2 minutes, respectively.

Presently, a minimum number of fixed messages per period is programmed. Table I shows the minimum number of fixed messages by period. For example, during period two of the Yugoslav Dilemma, a fixed message is always delivered as the third and fourth message. If responsive messages are due, they will be delivered as the first, second, and fifth messages. If no responses are due, a fixed message will be delivered each time. However, if a response is due, it will be delivered instead of the fixed message. Information load is fixed.

TABLE 1

TOTAL NUMBER OF MESSAGES AND MINIMUM NUMBER FIXED MESSAGES DELIVERED BY SIMULATION PERIOD

<u>Scenario</u>	Number of Messages <u>Delivered</u>	Mandatory Fixed Message Numbers
Storm	3	1
Yugoslav Dilemma:		
Period 1	10	1, 5, 9, 10
Period 2	5	3, 4
Period 3	15	2, 6, 7, 9, 10, 14

Other message distributions are possible with program changes. The timing of fixed and responsive messages may be manipulated using the TEDIT and DEDIT programs. Use of these programs is described in Unger and Swezey (1983).

#### c. Interruptions

When the participant makes a decision, the simulation clock stops. The clock remains stopped until:

- The decision is executed.
- Any future planned decisions are entered.
- Any previous decisions made while current action was planned (which lead to current action) are entered.
- Any previous messages which lead to current action are entered.

When the participant re-enters the scenario, the simulation clock progresses one hour. This value may be changed using the LEDIT program. See Unger and Swezey (1983).

Because the simulation time stops during decision times, total length of session in real time cannot be predicted. Real time session duration increases with time spent making decisions and entering plans.

#### V. ASSESSMENT OF DECISION-MAKING STYLE PROCEDURES

This chapter provides: 1) step-by-step procedures for generating a participant's decision-making profile, 2) information on interpreting the profile, and 3) information on the decision-making styles of subject matter experts.

#### A. Computer Generation of the Profile

To obtain the profile, follow:

- Steps 1-7 Rename Files
- Steps 8-22 Copy Files from Hard to Floppy Disk
- Steps 23-28 Generate the Profile
- Steps 29-31 Profile Printout

#### Filing System

The decision-making style profile is generated using the PROFILE.OBJ program. The program requires that the printer be operational.

As outlined in preceding sections, the Yugoslav Dilemma may be activated using a standard procedure or an alternate procedure. You may recall that if the standard procedure was used, the participant's data are stored under no name; the default for participant code name is blank. Thus, the participant's data should be renamed before copying to the floppy disk. If two sets of files have the same code name, or have blank code names, the subsequent set will replace the older set if stored on the same disk.

Data for each participant, regardless of procedure, are stored in three files on the hard disk. For the standard run procedure, the three files are named:

A/ R#/ R/ If the alternate procedure is used, the files are named:

A/PARTICIPANT CODE R#/PARTICIPANT CODE R/PARTICIPANT CODE

To use the PROFILE.OBJ program, the three participant's data files must be copied from the hard disk to the floppy disk which contains the PROFILE.OBJ program. (The PROFILE.OBJ program is on a disk labelled PROFILE 1/84; it is not on the MSM disk.)

## 2. Steps 1-7 Rename Files on Hard Disk

Follow Steps 1-7 if your files have no participant code (from standard run procedures) or if you want to change the code name. Be sure to use the same name for all three files.

- Step 1. Hard disk drive must be on. (If it is not on, follow Steps 1-14 under Storm scenario procedures, then go to Step 2 below.
- Step 2. Type CTRL and RESET at the same time.
  ] will appear.
- Step 3. Type CATALOG, VØ32
  You will see the list of participant files contained on the hard disk.
- Step 4. Rename all three files.

  Type RENAME A/OLD CODE, A/NEW CODE
  (Leave one blank space for OLD CODE
  if code is blank.)

  Press RETURN
- Step 5. Type RENAME R#/OLD CODE,R#/NEW CODE Press RETURN
- Step 6. Type RENAME R/OLD CODE,R/NEW CODE Press RETURN
- Step 7. Type CATALOG
  Press RETURN
  Check the catalog and see that your
  renaming has taken place.

3. Steps (Floppy	3-22 Copy Files from Hard Disk (Volume 32) to Disk (PROFILE 1/84)	
Step 8	. Hard disk drive should be on. If it is on, go on to Step 9 below. If not, follow Steps 1-14 under Storm scenario procedures.	
Step 9	Type EXEC HFID, VDD1 Press RETURN	
Step 10	Screen displays:	
	MENU	
	1 through 9	
	1 Chrough 9	
	WHICH WOULD YOU LIKE?	·
	Type Ø Press RETURN	(Ø option not listed on menu.
Step 11.	This step identifies the floppy disk volume.  Screen displays D =  Type 1 (Do not press RETURN.)  Screen displays D = 1 V =  Type 254  Press RETURN	
Step 12.	This step identifies the hard disk volume.  Screen displays D = 1  V = 254  D =   Type 2 (Do not press RETURN.)  Screen displays D = 2  V =   Type Ø32  Press RETURN	
Step 13.	Screen displays D =  Press RETURN	

This step selects copy function. Screen displays MENU
Type 1
Press RETURN

Step 14.

- Step 15. This step identifies source as the hard disk.
  Screen displays SOURCE SLOT? 
  Type 6
  Press RETURN
  Screen displays DRIVE? 
  Type 2
  Press RETURN
- Step 16. This step identifies floppy disk as destination.
  Screen displays DESTINATION SLOT? 
  Type 6
  Press RETURN
  Screen displays DRIVE?
  Type 1
  Press RETURN
- Step 17. Screen displays FILENAME?
  Type =/PARTICIPANT CODE
  Press RETURN

ssal kroossassoot kaasaasaa kaasaasaa maaaaaaa kaasaasaa kaasaasaa kaasaasaa kaasaasaa kaasaasaa kaasaasaa ka

(Use one blank space for the code if code is blank.)

- Step 18. Screen says "DO YOU WANT PROMPTING?"
  Type N
  Press RETURN
- Step 19. Screen says "INSERT DISKS."

  Remove MSM disk from floppy disk drive
  Insert PROFILE 1/84 disk
  Close disk drive door
  Press any key to continue
- Step 20. Now the computer searches for each file. First it finds A/PARTICIPANT CODE. After the file is copied, DONE appears on the screen.

  Then it copies R#/PARTICIPANT CODE, then R/PARTICIPANT CODE.

If your file has already been copied or if your files have the same name as another file on the floppy disk, the computer will say TYPE IN A NEW FILE NAME FOR THE COPY OR (RETURN) to REPLACE EXISTING FILE OR (CTRL-C) (RETURN) TO CANCEL COPY. You follow directions as necessary.

If your floppy disk is full, you should copy excess data files onto another disk. To do this, follow procedures in the Apple's DOS Manual under FID program. You will avoid filling up the PROFILE disk by copying all data files to another disk immediately after you generate each profile as described in Section 6 below.

Step 21. After all files have been copied, the screen directs you to PRESS ANY KEY TO CONTINUE.

Press any key to continue.

Step 22. The menu returns.

Type 9 (for QUIT)

Press RETURN

The screen displays the ] symbol.

#### 4. Steps 23-28 Generate the Profile

Once the participant files are copied onto the floppy disk labelled PROFILE 1/84, you may proceed to generate the profile.

- Step 23. Disk labelled PROFILE 1/84 in disk drive. Type PR#6
  Press RETURN
  The screen displays a message and the 1 symbol.
- Step 24. Type BRUN DOS MOVER
  Press RETURN
  You will hear the floppy disk whirl, and a message and the J symbol appear.
- Step 25. Type BLOAD RUN TIME
  Press RETURN
  You will hear the floppy disk whirl,
  and the ] symbol appears.
- Step 26. Type BRUN PROFILE.OBJ Press RETURN
- Step 27. The following screen appears:

PROGRAM MEASURE

ENTER PARTICIPANT CODE:

If standard run procedure generated the data files, press RETURN.

or

If alternate procedure generated the data files, type CODE (whatever the code was), press RETURN.

Step 28. The screen asks DATA LIST? (Y/N)
If you want the profile printout to include all measures in the profile plus data regarding each individual decision the participant made, type Y.

or

If you want the profile to include all measures without individual decision data, type N.

## 5. Steps 29-31 Profile Printout

- Step 29. The computer begins printing. The following information is printed:
  - Number of minutes in simulation
  - Number of messages
  - Number of decisions
  - Number of periods
  - List of decisions and decision data (if DATA LIST? Y was entered)
  - Number of categories
  - List of 14 measures for each period

(There may be brief pauses (about a minute) during printing. If so, length of pauses varies directly with length and complexity of the participant's session.)

When the printout is complete, the screen displays the ] symbol.

Step 30. If you want to generate another profile, Type BRUN PROFILE.OBJ
Press RETURN
Go back to Step 27 above;
Otherwise, go on to Step 31.

- Step 31. To advance the printout so you can tear it off the Integral Data Systems 445 printer:
  - Move the left red indicator on the front right side of the printer from ONLINE to PAPER.
  - Move the right red indicator towards the right (towards LF for line feed).

(For other printers, refer to the printer manual for directions.)

- Release the line feed indicator when a perforation in the paper appears above the paper holder.
- Tear off the printout.

#### 6. Steps 32-34 Permanent Storage

It is suggested that participant files be stored permanently on a floppy disk or on a dedicated volume of the hard disk, and deleted from hard disk Volume Ø32 and the PROFILE floppy. This prevents you from ever getting a DISK FULL message in the middle of a session. Therefore, after generating the profile, it is suggested that you:

- Step 32. Copy files from the PROFILE disk elsewhere for storage.
- Step 33. Delete files from Volume Ø32 on the hard disk.
- Step 34. Delete files from the PROFILE floppy disk.

To copy files from the PROFILE disk to a volume of the hard disk, follow copy procedures, described in Steps 8-22 above (source drive will be 1, destination drive will be 2). To copy to another floppy, follow procedures outlined in the Apple DOS Manual under FID program.

To delete files from the hard disk:

- Activate the hard disk (see Steps 1-14 under Storm scenario procedures)
- Type CATALOG, VØ32 Press RETURN

The contents of volume \$32 will be displayed.

Press RETURN again and again if necessary to display all contents. When all contents have been displayed, the ] symbol appears.

- Write down the file names you can delete. (If you are at all uncertain about what to delete, call an expert.)
- For each file to be deleted:

Type DELETE FILENAME Press RETURN

 After you delete all unnecessary files, type CATALOG, press RETURN, and check that you have deleted correctly.

To delete files from the PROFILE disk:

- Insert PROFILE disk into drive 1
- Type PR#6
- Type CATALOG, press RETURN
- Type DELETE FILENAME and press RETURN for each file to be deleted
- Type CATALOG, press RETURN to check that you have been deleted correctly.

## 7. Step 35 Turn Off the Computer

Step 35. To turn off the computer:

- Switch the hard disk off.
- Push the Apple video monitor knob off.
- Switch the Apple computer off.
- Switch the printer off using the switch on the left back of the printer.
- Store disks in jackets.

#### B. Interpreting the Profile

After the researcher generates the participant's profile, the researcher and participant engage in discussion. This discussion includes five topics:

- Purpose of the simulation
- Decision-making styles
- Components of the printout
- Participant's decision-making strategy (or strategies)
- Expert strategies

The researcher should use the information in this section as the basis for the discussion.

## 1. Purpose of the Simulation

The Yugoslav Dilemma was designed to measure decision-making style. Style refers to the process or structure of the decisions, not to the quality or success of the decisions.

Decisions made do not affect the outcome of the simulation. Two types of messages are delivered: fixed and responsive. Fixed messages do not address participant action, but they unfold the scenario. Responsive messages answer the participant's action, but still do not change the course of the dilemma. War cannot be prevented or encouraged by the participant.

Participants react differently to the news that the simulation has no outcome. Some are indifferent; some, relieved; and some participants are chagrined to hear that their hard work on the dilemma could not have changed its course.

While explaining the purpose of the simulation during the debriefing, you may ask the participant not to discuss the simulation with potential participants. Advance knowledge that the simulation's outcome cannot be affected by participant action may discourage some participants from trying to solve the dilemma.

The simulation data provide information about the decision structure or strategy used by a participant confronted with a difficult, complex, critical, ill-defined problem. It is important to make the distinction between structure and content.

All of us make decisions nearly all of the time. Most of these decisions are minor, are based on previously established habits; we may not even be aware that we have just made a decision. An example of a minor decision might be whether or not to jog to some specific mailbox or wait to mail the letter until we find another more convenient mailbox. Decisions are different in their content; the decision where to mail a letter and whether to have a sandwich or a salad for lunch differ greatly. As a result, it is difficult to scientifically analyze decision content unless we restrict ourselves to some limited range of decisions. For example, if mailing the letter at a distant mailbox and having a salad for lunch are all related to health (jogging to the mailbox and eating fewer calories), then we may have some basis for judging the content of the decisions. For most decisions made on a dayto-day basis, however, contents are so diverse that qualitative comparisons are difficult to make. Decision structure, in contrast to content, provides an opportunity for scientific study. The structural approach considers how decisions are made rather than what decisions are made. In determining the "how" of decision-making, we can analyze whether decisions are meaningfully related in a strategy, to how many goals they relate, and whether the decision maker conceptualizes the task setting in terms of some overall interactive system or operates on several unrelated subsystems. To determine the structure which underlies a decision maker's functioning, several measures relating to a participant's performance have been developed. This information is contained on the printout.

## 2. Decision-making Style

MONTH OF THE RESERVE OF

The Yugoslav Dilemma was designed to assess the decision-making structure used by a participant in the dilemma. Using the dilemma, it is possible to categorize participants' data into three different structures or styles. These three decision-making types are based on an interactive complexity theory of information processing (Streufert and Streufert, 1978, 1981).

Complexity theory is concerned with information processing from a structural vantage point. It focuses on the decision-making environment and on the decision-making process within an organism. That organism might be a person, a decision-making group, an organization, or organizational component. Information is received, analyzed (or "differentiated"), matched to stored information (such as attitudes, beliefs, intents, goals, plans, or strategies), and finally, decisions are

made. Complexity theory is not concerned with what specific decisions are made, but is concerned with how the decision makers or the organization arrived at the decisions.

The three decision-making styles identified by the Yugoslav Dilemma are categorized according to the simplicity or complexity of the planning strategy employed and the degree to which diverse bits of information (called dimensions) are or are not combined or integrated into a strategy.

The three styles of decision making assessed by the Yugoslav Dilemma are:

- Unidimensional
- Multidmensional differentiative
- Multidimensional integrative

Within multidimensional integrative style, both low-level and high-level integrators may be identified. Theoretical discussions of the terms above may be found in other documents (for example, Streufert and Swezey, 1982). The descriptions below simplify the theoretical definitions and use everyday terms to the extent possible.

A person employing <u>unidimensional</u> decision-making style bases judgments on one categorized aspect or dimension (such as good versus bad) of the thing or event, is not apt to consider shades of meaning, and usually does not consider multiple aspects of the thing or event being judged. For example, a unidimensional person might describe a "conflict" as a bad occurrence, would probably not describe conflict as healthy under certain

conditions, and would probably not consider aspects of a conflict other than good or bad (such as solvable - not solvable, long-standing - recent, impacting one person - many people, etc.). Should any additional considerations be made, they would likely be related to good or bad, such as very good, terrible, or slightly bad.

The actions of a unidimensional person tend to be in direct response to environmental events and less (or not at all) in response to any plan the person may have formulated. Strategy is not characteristic of a unidimensional decision maker. If a strategy is used, it is usually a "plan not to plan."

It is not "bad" to be a unidimensional decision maker. The style is not correlated with intelligence, and many unidimensional decision makers are highly intelligent. We all make countless decisions every day, and to a large extent, complex strategies for making decisions are not required and may even be harmful for most daily decisions. In complex situations, such as the Yugoslav Dilemma, however, multidimensional or more complex strategies probably characterize the decision-making structure of military experts. We will be able to determine optimal strategies as work on the simulation continues. Nevertheless, it is important to note that one style is not worse than others. Each style is optimal in certain environments.

In contrast to a unidimensional person, a multidimensional decision maker usually considers many aspects or dimensions of the thing or event, and also considers shades of meaning. Within multidimensional, the style of multidimensional differentiators is characterized

by differentiation, or consideration of many different dimensions of a thing or event, but not by integration or the formation of a summary judgment based on all dimensions considered. The differentiator may view the dimensions as unrelated or even mutually exclusive. Some differentiators generate an inordinate number of considerations (or dimensions) about a thing or event and differentiate into finer and finer subdimensions. This may delay or even prevent any conclusions (or integrations) from being drawn.

The decision-making style of differentiators is not characterized by strategic planning. Although this person may consider multiple dimensions or aspects of the event, generally these aspects are not integrated. Where strategy occurs, it probably is not well-developed, but would occur more frequently than for unidimensional persons.

The style of <u>multidimensional integrators</u> contains strategy. The integrator, like the differentiator, usually considers many dimensions of a thing or event; but unlike the differentiator, sees relationships between dimensions and forms summary opinions (or integrations) based on multiple dimensions. The integrator, unlike the differentiator, may cease considering new dimensions, make a decision (integration), and then begin again to collect new information. In addition, an integrator may employ one or more dimensions as rules or procedures in combining sets of decisions.

Within multidimensional integrators, the simulation may be used to distinguish low- and high-level integrators. The integrations of a low-level integrator

typically last a short time, and the integrations are not woven into other integrations. High-level integrators, on the other hand, execute long-term and complex plans. As mentioned earlier, it is not automatically "good" to be a multidimensional integrator. That structure is beneficial in some situations, but not in all. A multidimensional integrator may have difficulty making the myriad of simple decisions we all make every day.

## 3. Components of the Printout

The printout contains 31 pieces of data. These are listed in Table 2. As shown in Table 2, 10 of the 31 items are used to classify a participant's decision-making as unidimensional, multidimensional differentiative, or multidimensional integrative. The other items describe the simulation run in general and individual decisions in detail.

A description of the printout for a sample participant named "Complex Test" appears below. A copy of the entire printout appears in Appendix F.

## TABLE 2. MEASURES ON PROFILE AND MEASURES USED FOR CLASSIFICATION

<u>DA</u>	TA ON PROFILE PRINTOUT	DATA USED FOR CLASSIFICATION
1.	Participant code	-
2.	Cumber of minutes in simulation	•
3.	Number of messages	-
4.	Number of decisions	-
5.	Number of periods	•
For eac	ch decision:	
6.	Computer file identification	-
7.	Decision text	-
8.	Real time minutes of simulation time of decision	-
9.	Period of decision	-
10.	Number of messages preceding decision	
11.	Decision number in sequence	-
12.	Simulation time of decision	-
13.	Decision code number	-
14.	Future decision codes	. •
15.	Decision numbers of decisions on which present decision based	-
16.	Message numbers of messages on which present decision based	-
17.	Number and list of decision categories used in total simulation	-
For eac	h period:	
18.	Number of decisions	•
19.	Number of respondent decisions	X and in combination with #25*
20.	Number of decision categories used	•
21.	Number of forward integrations	In combination with #30
22.	Multiplexity F	x
23.	Weight	X
24.	Number of backward integrations	X

<sup>\*</sup>Note, therefore, that Measure No. 19 is employed in two ways:

1) by itself, and 2) in combination with Measure #25.

TABLE 2. MEASURES ON PROFILE AND MEASURES USED FOR CLASSIFICATION, CONTINUED

DATA ON PROFILE PRINTOUT		DATA USED FOR CLASSIFICATION	
25.	Number of unintegrated respondent decisions	In combination with #19	
26.	Quality of integration strategies (QIS)	x	
27.	Weighted QIS	X	
28.	Average response speed	-	
29.	Number of serial connections	-	
30.	Number of planned but not executed integrations	In combination with #21	
31.	General unintegrated decisions	X	

#### "Complex Test" Example

#### Profile:

## Explanation:

ENTER PARTICIPANT CODE: COMPLEX TEST

Participant code name

DATA LIST? (Y/N):Y

Data list option

NUMBER OF MINUTES IN SIMULA-

**TION:74** 

Total real time minutes of Simulation time

NUMBER OF MESSAGES=24 NUMBER OF DECISIONS=38 NUMBER OF PERIODS=3

]Number of messages delivered Number of decisions made Number of periods completed

Next, if data list option was selected, decision data for each decision made are printed out as follows:

R1/COMPLEX TEST YOUR DECISION TO REDUCE CREDIT TO YUGOSLAVIA BY 1 MILLION DOLLARS @!-28>25@ TIME=32.5 PERIOD=2 MESSAGES=12 DECISION NUMBER=17 TIME=06/18 21:53:38 (:D1331.1) FUTURE DECISIONS: (;D1211.1) BASED ON DECISIONS:9:10 BASED ON MESSAGES: 0

Information given for each decision is described below.

#### Profile:

#### Explanation:

R1/COMPLEX TEST

]Identifying information for computer file

YOUR DECISION TO REDUCE CREDIT TO YUGOSLAVIA BY 1 MILLION DOLLARS @!-28>25@

The decision (ignore coding at end of text)

TIME=32.5

Real minute of simulation time during which the decision was made; minutes cumulate across periods

#### Profile:

## Explanation:

PERIOD=2

]Period during which decision was made

MESSAGES=12

]Total number of messages
 received preceding the decision

**DECISION NUMBER 17** 

Decision number in sequence from start of simulation

TIME=06/18 21;53;38

]Simulation time of decision: month/day hour;minute;second

(;D133.1)

IDecision code number

FUTURE DECISIONS: (;D1211.1)

]Code number of future decisions planned at the time of this decision (other planned decisions printed out in separate parentheses).

BASED ON DECISIONS:9:10

Decision numbers of decisions on which this decision was

based

BASED ON MESSAGES:0

]Message numbers of messages
on which this decision was based

Next is printed the total number of decision categories and a list of all category numbers selected during the simulation. (Category selection frequencies are not provided.) Number of categories per period is provided later in the printout.

#### NUMBER OF CATEGORIES=19

111

TO SECTION ASSOCIATION OF THE SECTION OF THE SECTIO

- 112
- 121
- 122
- 131
- 132
- 211
- 212
- 213
- 222
- 222
- 231
- 232
- 311
- 321
- 322
- 411

Category numbers come from decision alternative code numbers. Each decision alternative has its own unique decision code. Each digit in the code represents a position on successive branches of a tree containing all decision alternatives. Figure 3 shows how the decision code numbers are determined for eight decisions in the economic area. For example, the code number for "Reduce exports of high technology products to Russia" is (D)1121.

A decision category is any decision choice sequence through the first three choice options; a category number then is the first three digits in the decision alternative code. Using Figure 3 and the information below, see how the following two decisions are in the <u>same</u> category:


	Decision 1 (Code 1121)	Decision 2 (Code 1123)
Option 1	Economic	Economic
Option 2	Reduce Exports	Reduce Exports
Option 3	Of High Technology Products	Of High Technology Products
Option 4	To Russia	To Yugoslavia

However, the decisions below are in different categories. These decisions do not share the first three digits of their codes.

	Decision 1 (Code 1121)	Decision 2 (Code 1111)
Option 1	Economic	Economic
Option 2	Reduce Exports	Reduce Exports
Option 3	Of High Technology Products	Of Food
Option 4	To Russia	To Russia

Finally, the printout lists the participant's score on each of 14 measures for each simulation period. The sample below is for Period 1 for participant "Complex Test."

PERIOD 1	JPeriod number
1-MEASURE=15 (# OF DECISIONS)	]Number of decisions
2-MEASURE=5 33% (# OF RESPONDENT DEC.)	<pre>JNumber of respondent   decisions, and per-   cent of total decisions</pre>



Decision code numbers for eight decision alternatives in the economic area. Figure 3.

3-MEASURE=10 (# OF DEC. CATEGORIES) ]Number of decision categories 4-MEASURE=13 86% (# OF FWD ]Number of forward integrations INTEGRATIONS) (% value is meaningless) 5-MEASURE=133 886% (MULTIPLEXITY ]Multiplexity F (% value is F) meaningless) 6-MEASURE=116 MINUTES (WEIGHT) Weight factor in real minutes of simulation time 7-MEASURE=0 0% (# OF BKD INTEG) Number of backward integrations (% value is meaningless) 8-MEASURE=2 13% (# OF UNINTEG. ]Number of unintegrated RES.DEC.) respondent decisions 9-MEASURE=562 (QIS) ]QIS (Quality of integration strategies) 10-MEASURE=2052 (WEIGHTED QIS) ]Weighted QIS 11-MEASURE=2.9 (AVE.RESPONSE ]Average response speed in SPEED) real time seconds of simulation 12-MEASURE=4 (SERIAL CONNECTIONS) Number of serial connections 13-MEASURE=1 (PLANNED INTEGRATIONS) ]Number of integrations planned but not executed 14-MEASURE=4 (GENERAL UNINTEGRATED Number of general unintegrated DEC.) decisions

As shown in Table 2, the data used in classifying profiles come from the last section of the printout. These measures are defined below. (Predicted scores and a brief rationale for the predictions is presented in Section 4 of this chapter.) All 14 measures are discussed in greater detail with sample calculations in Appendix G.

<u>Number of decisions (Measure 1)</u> is the total number of decisions executed within a simulation period. To score a decision, a participant must:

- Enter the decision code
- Execute the decision (by pressing RETURN when the computer asks if the decisions should be executed)

Every decision is counted even if the same decision is executed more than once.

Number of respondent decisions (Measure 2) is the total number of decisions executed within a simulation period based on a previous message. To score a respondent decision, a participant must:

- Execute a decision
- Report that the decision was based on a previous message or messages

If one decision was based on two messages, then two respondent decisions are scored for that one decision, and so forth. Thus, the number of respondent decisions may exceed the total number of decisions.

Number of decision categories (Measure 3) is the total number of decision categories used within a simulation period. As described earlier in this section, a decision category is the first three digits of a decision code, or a decision choice sequence through the first three choice options. Decisions coded 1211 and 1213 are in the same category (121), but decisions coded 1211 and 1221 are in different categories. The decision category of each executed decision is scored only once no matter how often it is selected within a period.

Number of forward integrations (Measure 4) is the total number of forward integrations originating within a period. The integrations may be completed within the period of origination or in a later period. To score a forward integration, a participant must:

- Execute a decision
- Plan a future decision in another decision category
- Execute the planned decision (or any decision in the same category as the planned decision)
- Report that the planned decision was based on the previous decision

Multiplexity F (Measure 5) is the sum of the count of each forward integration scored within a period, plus all forward integrations originating and ending in the endpoint of each forward integration, plus all forward integrations originating (not ending) in the endpoint of subsequent, directly connected integrations leading to the end of the simulation.

The sample below diagrams seven connected forward integrations (indicated by the — at the end of the diagonals). For example, decision C was planned at decisions A and B, and when C was executed, it was reported based on A and B.

Category	Time ———
111	#
121	G
123	AF C.
131	E
132	<b>1 1 1 1 1 1 1 1 1 1</b>
211	C
222	A
223	₽

We will use this diagram to explain the calculation of Multiplexity F for integration BC.

BC+AC+CD+CE+EF+FG = 6

HG does not count because it ends, not begins, at the endpoint of the forward integration FG, which is not the integration of interest. AC counts because, for the integration of interest, DC, all integrations connected to its endpoint are connected. If all seven integrations were scored in one period, the total for the period would be the sum of the values for each integration.

Weight or integration time weight (Measure 6) is the sum of the time elapsed from initial to endpoint decision for each forward integration scored in a period. Time in this measure is real minutes of simulation time. For example, if time from original decision A to planned and executed endpoint decision C is three minutes, and from decision B to planned decision D is five minutes, the weight is eight minutes (even if AC and BD overlap in time). Backward integrations (see Measure 7) are not counted in this measure.

Number of backward integrations (Measure 7) is the total number of backward integrations originating in a period. The backward integration may or may not end in the same period. To score a backward integration, the participant must:

- Enter a decision A (endpoint decision)
- Not enter plans to execute decision B
- Execute decision B (the origin decision) in a different category from decision A

 Report that decision B was based in part on decision A

Note that backward integrations, unlike forward integrations, originate at a time <u>later</u> than their endpoints. Both forward and backward integrations, however, are credited to the period during which they originated.

Unintegrated respondent decisions (Measure 8) is the total number of unintegrated respondent decisions within a period. An unintegrated respondent decision occurs in response to a message, but may not originate a forward integration. An unintegrated respondent decision may, however, be part of a backward integration, or the endpoint of a forward integration, and it may lead to another decision in the same category. Unintegrated respondent decisions are a special case of respondent decisions because general respondent decisions may be any part of an integration. To score an unintegrated respondent decision, a participant must:

- Execute decision A (A may be planned or not planned)
- Report that decision A was based on a previous message

#### AND EITHER


 at the time decision A is executed, not report a decision plan in a different category

OR

 report a decision plan in a different category, execute the plan, but not report it based on decision A QIS or quality of integrated strategies (Measure 9) is the sum of, for each forward integration scored in a period, the time weight for that integration multiplied by the sum of the number of forward integrations originating and ending at the origin and endpoint of the forward integration plus one for that forward integration. Refer to the sample below. If vector AB is a forward integration, and forward integration vectors CA and DA end at decision A in AB, and AE originates at A in AB, and forward integration vectors BF and BG originate at B in AB, and HB ends at B in AB, and the time elapsed from A to B is four minutes, the QIS score is four (the time weight) multiplied by the sum one for AB plus three for CA, DA, and AE, plus three for BF, BG, and HB, or 4(7) or 28.

Category	Time
111	D <sub>.</sub>
121	
123	A 4 mins.
131	
211	B.
222	c′ /
232	G
311	Ĥ

Weighted QIS (Measure 10) is the sum of each forward integration scored in a period, plus all forward integrations originating and ending at both ends of the forward integration, plus all forward integrations originating (not ending) in the endpoint of subsequent, directly connected integrations until the end of the simulation, plus all forward integrations ending (not originating) in the origin of previous directly connected integrations until the beginning of the simulation, multiplied by the time weight. Refer to the diagram below.



If vector AB is a forward integration, and forward integration CA connects to A in AB, and DC connects to C in CA, and CE connects to C in CA, and BF and HB connect to B in BA and GF connects to F in BF, and time elapsed from A to B is five minutes, the weighted QIS score is five multiplied by the sum of one for AB plus one each for CA and DC (not CE which originates not ends in DC and CA), plus one each for HB and BF (not GF which ends not originates in BF), or 5(5) = 25. Weighted QIS is not QIS multiplied by the integration time weight as the name might imply. It is QIS (which already includes time weight) weighted with integrations distally connected to a target integration.

[The QIS score for the above sample would be five times (1 for AB + 1 for CA + 1 for BF + 1 for HB) = 5(4) = 20. The Multiplexity F for the sample would be one for AB plus one for HB plus one for BF or three. Multiplexity F is essentially the forward half of WQIS minus the time weight.]

<u>Average response speed (Measure 11)</u> is the average time (in real minutes of simulation time) elapsed

between receipt of a message and subsequent execution of a respondent decision. (Recall that a respondent decision is one the participant reports was based on a previous message. See Measure 2.) The calculation is based on every respondent decision within a period.

Number of serial connections (Measure 12) is the number of serial connections scored in one period. A serial connection would be identical to an integration (see Measures 4 and 7) except that decisions connected serially fall in the same decision category, whereas integrated decisions fall in different decision categories.

A serial connection may be either forward or backward; this measure includes both types.

To score a serial connection, the participant must:

#### EITHER

- Execute decision A
- Plan decision B in the same category
- Report that decision B was based on decision A

OR

- Execute decision A
- Not plan decision B
- Execute decision B in the same category as decision A
- Report that decision B was based on decision A

Planned integrations (Measure 13) is the number of forward integrations planned but not executed any time before the end of the simulation. If the integration is accomplished at any time, even in a later period than the origin decision, it is considered an executed integration. Planned but not executed integrations are credited to the period in which the origin decision was entered. The planned decision must be in a different decision category from the origin decision category. To score a planned but not executed integration, the participant must:

- Execute decision A
- Plan decision B in another category

#### AND EITHER

Not execute decision B

OR

 Execute decision B (or any decision in B category) but not report that decision B was based on decision A

General unintegrated decisions (Measure 14) is the number of general unintegrated decisions within a period. A general unintegrated decision is a decision which is not part of a forward or backward integration. It may be part of a serial connection, or it may be respondent, or planned but not executed, or planned, executed, but not reported based on the previous decision, or isolated completely. Unintegrated respondent decisions and planned but not executed integrations are subsets (may be overlapping) of general unintegrated decisions.

### 4. <u>Comparing Profiles</u>

Nine measures have been selected as the basis for comparing profiles. These measures were selected because interactive complexity theory (which is the basis for the simulation) predicts that the different classifications of decision makers. described earlier, will be characterized by different scores on these measures. As shown in Table 2, these measures come from data on the printout. Other measures to be used in comparing profiles may be added later as testing on the simulation continues, but at this time, nine measures have been chosen. The measures are described below and general predictions for the different decision-making classifications are given. The measures are discussed in the order in which they appear on the sample classification graphs.

## Number of general unintegrated decisions (Measure

14). These decisions are not part of forward or backward integrations. General unintegrated decisions reflect a lack of overall planning. They often represent trial and error actions. Multidimensional persons, especially integrators, would not score many unintegrated decisions in a complex, demanding situation like the Yugoslav Dilemma because most of their decisions would be integrated. An excessive number of unintegrated decisions may be expected on the Yugoslav Dilemma from unidimensional persons who generally do not plan and execute strategy.

Number of respondent decisions (Measure 2). Respondent decisions are based on messages; they may or may not be part of integrations.

Thus, some respondent decision-making is evident in the behavior of all complexity groups. However, respondent, as opposed to integrated, decisions are particularly prevalent in decision sequences generated by unidimensional persons. Persons who can neither differentiate nor integrate tend to depend on the immediate environment for cues upon which they can base their actions. Especially in situations where the immediate environment is complex, respondent decisions by unidimensional persons may be substantially increased in number and often reach or exceed 50% of their total decisions. This is because the person may react separately to each bit of information. Strategic reactions, of course, would be near zero.

Proportion of unintegrated respondent to respondent decisions (Measures 8 and 2). The proportion of unintegrated respondent to total number of respondent decisions reflects integrative strategy. As the proportion nears 1.0, less integrative strategy is implied. Thus, scores near 1.0 would be expected from unidimensional participants, and scores closer to 0 expected from multidimensional participants, with integrators scoring closer to 0 than differentiators.

Number of backward integrations (Measure 7). Backward integrations, planned only after decisions are executed, reflect less strategic planning than forward integrations, but nevertheless reflect some strategy. Thus, they occur with greater frequency for multidimensional than for unidimensional participants. A few backward integrations may be generated by unidimensional persons, but larger score values should be seen in the profiles for differentiators and the two groups of integrators.

[Differences in the use of backward integrations by differentiators, low-level integrators, and high-level integrators may become evident (with future participants) by calculating the proportion of backward integrations to all integrations. As the resulting value moves closer to 1.0, the cognitive complexity of the decision-maker would likely be lower.]

Number of forward integrations adjusted by number of planned but not executed integrations (Measures 4 and 13). Number of forward integrations is the basic and most frequently employed measure of decision integration. Very low scores would be predicted for unidimensional persons, low scores for differentiators and moderate to high scores for integrators.

Unless the measure is adjusted by number of planned but not executed integrations, however, the measure is too conservative and loses sensitivity. In order to score a forward integration, a participant must plan a decision then execute it. If the plan is not executed later, we do not know if it was due to lack of strategy or lack of time before the simulation ended ("simulation end effect"). Therefore, we should credit all or some planned but not executed integrations as forward integrations. To increase the likelihood that this adjustment is correcting for end effects and not lack of strategy, the credit should increase across periods. For example, we assume that integrators execute all plans made in period 1, but people with lack of strategy will not. Thus, no adjustment should be made for period 1. This adjustment should increase the likelihood that we identify integrators.

For the preliminary comparison sample, number of total forward integrations was calculated by adding together:

Period 1: Number of forward integrations <u>plus</u> 0% planned but not executed integrations (unadjusted)

Period 2: Number of forward integrations <u>plus</u> 50% planned but not executed integrations

Period 3: Number of forward integrations <u>plus</u> 100% planned but not executed integrations.

<u>Multiplexity F (Measure 5)</u>. Multiplexity F means multiple complex strategies in a forward direction. As any one course of action is approached from increasing numbers of decision points, and as that course links directly to other steps in a plan, multiplexity F scores increase. This type of planning is characteristic of multidimensional, not unidimensional, planners.

Within multidimensional planners, differentiators will score only low or moderately high on this measure. Low-level integrators score moderately high, and high-level integrators attain high scores.

The basic calculation in a multiplexity F score is number of forward integrations. Number of forward integrations has not been adjusted for planned but not executed integrations, as mentioned above. Such an adjustment may be needed in the future to increase its sensitivity to different types of integrators, but was unnecessary with the present comparison sample.

<u>Weight (Measure 6)</u>. This measure indicates the length of time across which persons integrate. The lowest weight scores would be scored by unidimensional planners who do

not integrate. Differentiators may produce weight scores slightly higher than those for unidimensional persons, but differentiators' scores would remain near the lower end of the distribution for this measure. Low-level integrators should generate moderate weight scores and considerably greater weight scores should be generated by high-level integrators.

The weight measure may suffer from the "simulation end effect" discussed under "number of forward integrations." It is difficult to adjust the weight measure, however, because we would have to guess at what time a planned integration would occur. Should a future adjustment become desirable, we might use the obtained mean weight per integration as the constant.

Quality of integrated strategies (QIS) (Measure 9). For each forward integration, QIS adds the number of forward integrations directly connected to the beginning and endpoints of the forward integration and multiplies this sum by the time weight. Thus, QIS increases as individual integrations become woven into other integrations. QIS is low for differentiators, even lower for unidimensional persons. QIS is slightly higher for low-level integrators than for differentiators and may reach very high levels for high-level integrators. (QIS has not been adjusted for simulation end effects.)

Weighted QIS (Measure 10). For each forward integration, weighted QIS (like QIS) adds up all forward integrations connected to the beginning and endpoints of the forward integration, but unlike QIS, weighted QIS also includes all forward integrations linked to those integrations tracing them all the way to the beginning and end of the simulation. Thus, this measure increases with high levels

of strategic planning and lengthy sequences of decisions toward more distant goals. Lengthy sessions are required in order to generate high scores on this measure. The relatively short (relative to other decision-making simulations) Yugoslav Dilemma restricts scores for weighted QIS. Nonetheless, we can predict that the highest scores on this measure will be generated by high-level integrators. Scores for low-level integrators should remain moderately low, and scores achieved by all other groups should remain near zero.

Four of the 14 measures are not included in the profile comparison process:

- Number of decisions (Measure 1)
- Number of decision categories (Measure 3)
- Average response speed (Measure 11)
- Serial connections (Measure 12)

Score predictions for these measures cannot be made on the basis of complexity theory as it stands today. Presently, it is thought that these measures are influenced by specific content characteristics of a simulation, and not by structural aspects of a participant's decision-making.

In order to compare a participant's style to the preliminary comparison sample, the researcher must follow the steps listed below:

- Calculate the proportion of unintegrated respondent to total respondent decisions for each period.
- Adjust forward integrations for each period using the adjustment described above.

- For each of the nine measures used, calculate a per-period average by totalling the scores and dividing by the number of periods.
- Plot the nine averages on each of the three (unidimensional, multidimensional differentiative, multidimensional integrative) tentative comparison graphs (Figures 4, 5, and 6).
- Determine best fit.

Figures 4, 5, and 6 are the preliminary comparison graphs for unidimensional, multidimensional differentiative, and multidimensional integrative style, respectively. These graphs were based on a very small sample of participants, have NOT been validated, and, thus, may be considered as tentative. The interested reader may refer to Swezey, Streufert, Criswell, Unger, and van Rijn (1984) for more information on the derivation of these comparison figures.

Scores should fit within the window on one of the comparison graphs. If several scores fall above or below a window, this would suggest that the person's performance reflects a different decision-making style than is represented on that comparison graph. The best fit within the window area of a graph indicates the group to which that person would be tentatively assigned.

Let us use the sample for participant "Complex Test" in Appendix F in an example of how to use the comparison graphs. Table 3 shows how the per-period means for the nine measures are calculated.

Next, the means are plotted. Figures 7, 8, and 9 show how these values fit against each of the three graphs. The values fit best with multidimensional integrators.

GE UNIN DEC	GENERAL UNINTEGRATED DECISIONS	RESPONDENT DECISIONS	PROPORTION OF UNINTEGRATED RESPONDENT DECISIONS TO RESPONDENT PROPORTIONS TO RESPONDENT	BACKWARD INTEGRATIONS	FORWARD INTEGRATIONS (ADJUSTED WITH PLANNED BUT NOT EXECUTED INTEGRATIONS)	MULTIPLEXITY F	WEIGHT	618	WEIGHTED QIS
			DECISIONS	100	+1.	50+	20+	20+	50+
				19 18 18	v	10	19 18 17	18 18	10
		0	-7-	. 91 21	ហ	1	16 15	16 15	Ľ
	0	01	.75	- <del></del> -	•	,	4 5	14	י ר
	_	2		13 12	4	9	12	2	4
	2		ω.	F 6		S	=2	= 2	
	4	<b>3</b>	.85	<u>.</u>	က	4	တထ	တ ထ	n
	9	40		8 /	c	m	) <b>~</b> 4	~ 4	2
	8 5	20	<b>o</b> ,	សល	7	c	o vo <	v <	,
Range	12	09	. 26	<b>4</b> W	-	J	+ m (	r m c	<del></del>
	14	70		7		<b>-</b> -	<b>7</b> –	<b>7</b> -	
	16+	*08	1.0	- 0	0	0	0	0	 >

Performance score ranges in the Yugoslav Dilemma simulation expected for unidimensional persons. Figure 4.

<del>\$</del>


WEIGHTED QIS	300+	75	52	2 0
91S	200+ 150 100 80 70	36 36 37 38 38 38	20 10 10 8 8	0 -2.
WEIGHT	30+	20	00 5	0
MULTIPLEXITY	60+ 40	20 18 16	12 01 8 6	- 0
FORMARD INTEGRATIONS (ADJUSTED WITH PLANNED BUT NOT EXECUTED INTEGRATIONS)	**************************************	rv 4	. e v	- <b>-</b> 0
BACKWARD Integrations	18+ 17 15 15	12 11 10	ν 8 <b>⁄</b> 70 70 4 ω	0 - 0
PROPORTION UNINTEGRATED RESPONDENT DECISIONS TO RESPONDENT DECISIONS	4. č.	9· 7·	æ. 6. c	
RESPONDENT DECISIONS		5 10 15	25 30 35 45	50 55 60 70 80
GENERAL UNINTEGRATED DECISIONS	·	0 2	4 0 8 0	12 14 16 20 24 28+

Performance score ranges in the Yugoslav Dilemma simulation expected for multidimensional differentiators. Figure 5.

CELESTONS   RESPONDENT PROPORTION   PROPOR		\ !	\											4				
CELEGAL RESPONDENT PROPORTION OF BACKMARD FORWARD NULTIPLEXITY WEIGHT WEIGHT WITGRATIONS INTEGRATIONS INTEGRATIONS OF CLISIONS UNINTEGRATIONS OF CLISIONS OF CLISI	WEIGHTED QIS	2000+ 1000	\08 8	200	200	450	350		250		150	,	20	40	20	0		
CENTERAL   RESPONDENT PROPORTION OF BACKMARD   FORWARD	qıs	1000+	3 3 2	450 425	400 375	325	300	250	200	150		125	100	96	8	75	20	-09
CENERAL RESPONDENT PROPORTION OF BACKMARD FORWARD NUTRINGGRATED DECISIONS UNINTEGRATED INTEGRATIONS INTEGRATIONS DECISIONS TO PLANNED BUT RESPONDENT PLANNED BUT RESPONDENT NOT EXECUTED DECISIONS	WEIGHT	H LEVEL	Ž	300 <del>+</del> 250	150	100	82	20	9	20	4	35	30	25	20	15-		
LANGEMENT PROPORTION OF BACKWARD FORWARD BECISIONS UNINTEGRATED INTEGRATIONS INTEGRATED DECISIONS TO PLANNED DECIS	MULTIPLEXITY F	VERY HIG INTEGRAT	\	150+	100	09	50	\$ <b>\$</b>	<u> </u>	. 20	00	7		Çu	U 4	· m (	7 -	. 0
CECISIONS UNINTEGRATED INTEGRATIONS  UNINTEGRATE DECISIONS UNINTEGRATIONS  DECISIONS TO  RESPONDENT  DECISIONS TO  RESPOND				HIGH LEVEL NTEGRATORS	†&&	26 24	22	20	9 92	14	12	2∞	9	4	2	0		
GENERAL RESPONDENT PROPORTION UNINTEGRATED DECISIONS UNINTEGRA DECISIONS RESPONDED RES	BACKWARD INTEGRATIONS			-1	[	12+	10	ć	Ø		•	<b>.</b>	2		0			
GENERAL UNINTEGRATED DECISIONS DECISIONS 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	PROPORTION OF UNINTEGRATED RESPONDENT DECISIONS TO RESPONDENT DECISIONS							0	<u>-</u> ,	หู m	4. r	ا بو ر	~ &.	6.	<b>5.</b>			
- Sandara	RESPONDENT DECISIONS				;	0	ت د	35	8 %	38:	35 40	55	22 22	09	63 70	75	÷08	
73	GENERAL UNINTEGRATED DECISIONS					0	_	2	ю	4.	2	9 1		8	6	10+		
								. (										
	<u> </u>														٠٠٠		SN.	N).N

Performance score ranges in the Yugoslav Dilemma simulation expected for multidimensional integrators. Figure 6.

TABLE 3
CALCULATION OF SAMPLE PARTICIPANT'S SCORES FOR PROFILE COMPARISON



Scores for sample participant "Complex Test" compared to unidimensional range. Figure 7.

WE IGHTED QIS	300+	500	e	<u></u> -	20			 52		z,	2	_	0			
915	-205 -205 -205 -205 -205 -205 -205 -205	5852	48	4 <del>6</del> %	38 38 38 38	183	229	_ & v	0 4	~ -	•	0				
WEIGHT	**************************************	<b>52</b>	96	3	15		30		ស		· <b>–</b>	0				
MULTIPLEXITY	+09	40	Ç	91 07	16 14	12	0.	ထ ထ	4	^	<b>.</b>	_	0	•		
FORWARD INTEGRATIONS (ADJUSTED WITH PLANNED BUT NOT EXECUTED INTEGRATIONS)	/8+	. 9		6	4		e		2		-	0				
BACKWARD INTEGRATIONS	18+	. 55 55 54	13	12 11	01	8		\ . s ·	<b>→</b> 8	/ 5 /		0				
PROPORTION UNINTEGRATED RESPONDENT DECISIONS TO RESPONDENT DECISIONS	-4.	ĸ		e •	<u></u>	8.	•	5,	1.0							
RESPONDENT DECISIONS	١	•		. ot	15 20	52	e	c 4 0	45	50	55 60		70	80	190+	
GENERAL UNINTEGRATED DECISIONS				0	N.	4	9	∞ .	10	12	14	16	Č	2	24	<b>58</b> +
					Range	76.										

Scores for sample participant "Complex Test" compared to multidimensional differentiator range. Figure 8.

		\														
WEIGHTED QIS	1000	000	700	200	450	350		007	150		20	0.4	07	0		
915	1000+	# 15 15 15	450	375	325	300	220	150	,	\$2	100	90	8	75	20	-09
WEIGHT	H LEVEL JRS	Ž	300 <del>+</del> 250	150/	100	82	Q 09	2 2	40	32	30	25	20	15-		
MULTIPLEXITY F	VERY HIGH LEVEL INTEGRATORS	\	150+	100	09/	20	40	30 20	10	7		œĸ	4	· m (	7 -	. 0
FORWARD INTEGRATIONS (ADJUSTED WITH PLANNED BUT NOT EXECUTED INTEGRATIONS)			HIGH LEVEL INTEGRATORS	\$\$\$	26 24	22	07 07	0 PT	7	88	9	4	2	0		
BACKWARD INTEGRATIONS			-/		12+	10	æ	9	4		2		0			
PROPORTION OF UNINTEGRATED RESPONDENT DECISIONS TO RESPONDENT DECISIONS							٥.	2:E:	<b>4</b> iv.	/ •	8.	6.	2			
RESPONDENT DECISIONS			•		<b>4</b>	25 02	15 20	, 30 30	35 40	45 50	55	60 65	S 22	75	<b>5</b>	
GENERAL UNINTEGRATED DECISIONS					• ·	- 0	~ m	4		٥ ٨		<b>&amp;</b>	6	10+		
							Range									

Scores for sample participant "Complex Test" compared to multidimensional integrator range. Figure 9.

### 5. Expert Strategies

As emphasized earlier in this manual, complexity theory and the Yugoslav Dilemma are concerned with the structure and process of decision making, not with the quality of the decision. Thus, can we say that a person who demonstrates more strategic forward integrations between decisions is a <u>better</u> decision maker than one who fails to generate these connections? For any given task, however, whether or not a particular decision-making style is optimal depends on the task, the environment, and the limitations of content that are acceptable in that environment.

To illustrate, consider how two different tasks and environments call for two different decision-making structures. First consider a task environment which is simple, where only two choices are available, neither has important long-term implications, one of the two choices has immediate desirable outcomes, and the other has immediate undesirable outcomes. An example might be whether to put gas in the car when it is nearly empty or drive the car until it runs out of gas. In cases of that kind, there is no need to use a complex decision-making strategy. A good versus a bad decision is easy to judge in the very simple case.

Second, consider a case where task and environment are complex, where decisions must be made under conditions of uncertainty, where the long-range, sequential effects of current decisions need to be considered and where the opponent is likely to employ specific strategy. An example of complex task and environment might be the Yugoslav Dilemma, or its real world counterpart. Clearly, quick, simple decisions would be maladaptive. Without referring at all to the content of the crisis, we may say

that careful consideration of information from many sources, planned information collection, and flexible responding as the situation changes are desirable characteristics of executive-level decision making. Perhaps the best executive-level decision maker is one who has a variety of simple and complex strategies available in his or her repertoire to apply as the situation requires. Optimal strategies are situation dependent.

### REFERENCES

- Criswell, E. L., Unger, K. W., and Swezey, R. W. Participant's manual to accompany the Yugoslav dilemma (a computer simulation). (SAI Report No. SAI-84-03-178) McLean, VA: Science Applications, Inc., 1984.
- Davis, E. G. and Swezey, R. W. Human factors guidelines in computer graphics: A case study. <u>International Journal of Man-Machine Studies</u>, 1983, 18, 113-133.
- Streufert, S. and Streufert, S. C. <u>Behavior in the complex environment</u>. New York: John Wiley, 1978.
- Streufert, S. and Streufert, S. C. <u>Stress and information load in complex decision making</u>: <u>Effects of load and time urgency</u>. <u>Office of Naval Research Technical Report No. 4, 1981.</u>
- Streufert, S. and Swezey, R. W. Aspects of cognitive complexity theory and research as applied to a managerial decision-making simulation.

  (SAI Report No. SAI-82-03-178) McLean, VA: Science Applications, Inc., 1982.
- Swezey, R. W., Streufert, S., Criswell, E. L., Unger, K. W., and van Rijn, P. <u>Development of a computer simulation for assessing decision-making style using cognitive complexity theory.</u> (SAI Report No. SAI-84-04-178) McLean, VA: Science Applications, Inc., 1984.
- Unger, K. W. and Swezey, R. W. <u>Programmer's manual to accompany the Yugoslav dilemma (a computer simulation)</u>. (SAI Report No. SAI-83-08-178) McLean, VA: Science Applications, Inc., 1983.

APPENDIX A

DECISION ALTERNATIVES FOR STORM SCENARIO

## STORM SCENARIO DECISION ALTERNATIVES

# Evacuation Action You Can Take

1111 1112	Alert the administrators of Jackson High School of Kennedy High School
1121	Alert the teachers of Jackson High School of Kennedy High School
12111 12112	Move the administrators of Jackson High School to Marsh Park to Tyson's Corner
12113 12121 12122	Move the administrators of Kennedy High School to Marsh Park to Tyson's Corner
12123 12211 12212	to quadrant Move the students of Jackson High School to Marsh Park to Tyson's Corner
12213 12221 12222	to quadrant Move the students of Kennedy High School to Marsh Park to Tyson's Corner
12223 12311 12312	to quadrant Move the teachers of Jackson High School to Marsh Park to Tyson's Corner
12313 12321 12322	to quadrant Move the teachers of Kennedy High School to Marsh Park to Tyson's Corner
12323	to quadrant

# Information Search You Can Request

2111	Determine threat to administrators of Jackson High School
2112	of Kennedy High School
2121	Determine threat to teachers of Jackson High School
2122	of Kennedy High School
2131	Determine threat to students of Jackson High School
2132	of Kennedy High School.
2211	Assess damage to roads in the city
2212	in the suburbs
2221	Assess damage to communications facilities in the city
2222	in the suburbs

APPENDIX B
DECISION ALTERNATIVES FOR YUGOSLAV DILEMMA

### ECONOMIC ACTION YOU CAN TAKE

Action of the comment of the comment

```
Reduce exports of food
1111 to Russia
1112 to Bulgaria
1113 to Yugoslavia
1114 to Romania
Reduce exports of high technology products
1121 to Russia
1122
       to Bulgaria
1123 to Yugoslavia
1124 to Romania
Reduce imports of raw materials
1211 to Russia
1212 to Bulgaria
1213 to Yugoslavia
1214 to Romania
Reduce imports of manufactured goods
1221 to Russia
1222 to Bulgaria
1223 to Yugoslavia
1224 to Romania
Reduce credit by 1 million dollars
1311 to Russia
1312 to Bulgaria
1313 to Yugoslavia
1314 to Romania
Reduce credit by 5 million dollars
1321 to Russia
1322 to Bulgaria
1323 to Yugoslavia
1324 to Romania
Reduce credit by 10 million dollars
1331 to Russia
1332 to Bulgaria
1333 to Yugoslavia
1334 to Romania
Reduce credit by 50 million dollars
1341 to Russia
1342 to Bulgaria
1343 to Yugoslavia
1344 to Romania
Increase exports of food
1411 to Russia
1412 to Bulgaria
1413 to Yugoslavia
1414 to Romania
Increase exports of high technology products
1421 to Russia
1422 to Bulgaria
1423 to Yugoslavia
1424 to Romania
Increase imports of raw materials
1511 to Russia
1512 to Bulgaria
1513 to Yugoslavia
1514 to Romania
Increase imports of manufactured coods
1521 to Russia
1522 to Bulgaria
1523 to Yugoslavia
1524 to Romania
```

TO SEE A CONTROL OF THE SECOND OF THE SECOND SECOND OF THE SECOND OF THE

```
Increase credit by 1 million dollars
        to Russia
 1612 to Bulgaria
 1613 to Yugoslavia
 1614 to Romania
 Increase credit by 5 million dollars
 1621 to Russia
 1622 to Bulgaria
 1623
       to Yugoslavia
 1624
       to Romania
 Increase credit by 10 million dollars
 1631 to Russia
 1632 to Bulgaria
 1633 to Yugoslavia
 1634
       to Romania
 <u>Increase credit by 50 million dollars</u> 1641 to Russia
 1642 to Bulgaria
 1643 to Yugoslavia
 1644
       to Romania
                                    POLITICAL ACTION YOU CAN TAKE
 <u>Send messages concerning the potential imposition of economic sanctions</u>
21111 to the Russian Ambassador
21112
                        Foreign Minister
 21113
                        President
21121 to the Bulgarian Ambassador
21122
                          Foreign Minister
21123
                          President
 21131 to the Yugoslavian Ambassador
21132
                             Foreign Minister
21133
                             President
21141 to the Romanian Ambassador
21142
                         Foreign Minister
21143
                         President
<u>Send messages concerning the potential resumption of normal trade</u>
21211 to the Russian Ambassador
21212
                        Foreign Minister
21213
                        President
21221 to the Bulgarian Ambassador
21222
                          Foreign Minister
21223
                          President
21231 to the Yugoslavian Ambassador
                             Foreign Minister
21232
21233
                             President
21241 to the Romanian Ambassador
21242
                         Foreign Minister
21243
                         President
<u>Send messages concerning the potential involvement of U.S. forces in Yugoslavia</u> 21311 to the Russian Ambassador
                        Foreign Minister
21312
21313
                        President
21321 to the Bulgarian Ambassador
21322
                          Foreign Minister
21323
                          President
21331 to the Yugoslavian Ambassador
21332 Foreign Mi
                            Foreign Minister
21333
                             President
21341 to the Romanian Ambassador
```

CANADARA DI PARANZA DI

21342

21343

a retarior de la companya del companya del companya de la companya

Foreign Minister

President

```
Send messages concerning U.S. interests in a non-aligned Yugoslavia 21411 to the Russian Ambassador
                       Foreign Minister
21412
                       President
21413
21421 to the Bulgarian Ambassador
21422
                         Foreign Minister
                         President
21423
21431 to the Yugoslavian Ambassador
                           Foreign Minister
21432
21433
                           President
21441 to the Romanian Ambassador
                        Foreign Minister
21442
21443
                        President
<u>Send diplomats to discuss potential imposition of economic sanctions</u>
22111 to the Russian Ambassador
                       Foreign Minister
22112
22113
                       President
22121 to the Bulgarian Ambassador
22122
                         Foreign Minister
22123
                         President
22131 to the Yugoslavian Ambassador
22132
22133
                            Foreign Minister
                            President
22141 to the Romanian Ambassador
22142
                        Foreign Minister
22143
                        President
Send diplomats to discuss potential resumption of normal trade
22211 with the Russian Ambassador
                         Foreign Minister
22212
22213
                         President
22221 with the Bulgarian Ambassador
22222
                            Foreign Minister
                            President
22223
22231 with the Yugoslavian Ambassador
                              Foreign Minister
22232
22233
                              President
22241 with the Romanian Ambassador
22242
                           Foreign Minister
                           President
22243
Send diplomats to discuss potential involvement of U.S. forces in Yugoslavia
22311 with the Russian Ambassador
22312
                          Foreign Minister
22313
                          President
22321 with the Bulgarian Ambassador
22322
                            Foreign Minister
22323
                            President
22331 with the Yugoslavian Ambassador
22332
                              Foreign Minister
                              President
22333
22341 with the Romanian Ambassador
22342 Foreign Mi
                           Foreign Minister
22343
                           President
Send diplomats to discuss U.S. interests in a non-aligned Yugoslavia 22411 with the Russian Ambassador
22412
                          Foreign Minister
22413
                          President
22421 with the Bulgarian Ambassador
 22422
                            Foreign Minister
22423
                            President
22431 with the Yugoslavian Ambassador
22432
                              Foreign Minister
22433
                              President
22441 with the Romanian Ambassador
22442
                           Foreign Minister
22443
                           President
```

```
Arrange a conference with cabinet members
2311 to assess previous political actions
                                military actions
2312
                                economic actions
2313
                                covert operations
2314
                                public opinion actions
2315
Arrange a conference with cabinet members 2321 to plan future political actions
                           military actions economic actions
2322
2323
2324
                           covert operations
                           public opinion actions
2325
                                        MILITARY ACTION YOU CAN TAKE
Alert U.S. 6th fleet
3111 to prepare to move
3112 to prepare for combat
Alert U.S. Air Force
3121 to prepare to move
3122 to prepare for combat
Alert U.S. Army Europe
3131 to prepare to move
3132 to prepare for combat
Alert U.S. Rapid Deployment Force
3141 to prepare to move
3142 to prepare for combat
Move U.S. 6th fleet
32111 Task Force A to the Adriatic Sea
                         to the Aegean Sea
32112
                         to the Ionian Sea
32113
32114
                         to quadrant
 32121 Task Force B to the Adriatic Sea
                         to the Aegean Sea
32122
                         to the Ionian Sea
32123
                         to quadrant
32124
Move U.S. Air Force interceptor squadrons (w. Germany) 32211 to airfields in Britain
                         in W. Germany
32212
32213
                         in Greece
32214
                         in quadrant
Move U.S. Air Force ground attack fighter squadrons (W. Germany)
32221 to airfields in Britain
32222
32223
                         in W. Germany
                     · in Greece
 32224
                         in quadrant
Move U.S. Air Force reconnaissance squadrons (England) 32231 to airfields in Britain
 32232
                         in W. Germany
 32233
                         in Greece
 32234
                         in quadrant
Move U.S. Air Force transport squadrons (U.S.)
32241 to airfields in Britain
32242 in H. Germany
 32243
                         in Greece
 32244
                      - in quadrant
 Move U.S. Air Force bomber squadrons (England)
32251 to airfields in Britain
 32252
                         in W. Germany
 32253
                         in Greece
 32254
```

in quidrant

```
Move U.S. Army Europe Division A (armored)
 32311 to bases in Britain
                  in W. Germany
 32312
 32313
                  in Italy
 32314
                  in Greece
 32315
                  in quadrant
 Move U.S. Army Europe Division B (infantry) 32321 to bases in Britain
 32322
                  in W. Germany
 32323
                  in Italy
 32324
                  in Greece
 32325
                  in quadrant
 Move U.S. Army Europe Division C (mechanized) 32331 to bases in Britain
 32332
                  in W. Germany
 32333
                  in Italy
 32334
                  in Greece
 32335
                  in quadrant
 Move U.S. Army Europe Division D (airmobile)
 32341 to bases in Britain
 32342
                  in W. Germany
 32343
                  in Italy
 32344
                  in Greece
 32345
                  in quadrant
Move U.S. Rapid Deployment Force Division A (mechanized)
32411 to bases in Britain
 32412
                  in W. Germany
 32413
                 in Italy
 32414
                 in Greece
 32415
                 in quadrant
Move U.S. Rapid Deployment Force Division B (airborne)
 32421 to bases in Britain
 32422
                  in W. Germany
 32423
                  in Italy
 32424
                 in Greece
32425
                 in quadrant
Move U.S. Rapid Deployment Force Division C (air assault) 32431 to bases in Britain
32432
                 in W. Germany
32433
                 in Italy
32434
                 in Greece
32435
                 in quadrant
Move U.S. Rapid Deployment Force Special Forces Units 32441 to bases in Britain
32442
                 in W. Germany
                 in Italy
32443
32444
                 in Greece
32445
                 in quadrant
Conduct reconnaissance missions 3311 in Russia with satellites
3312
              _ . with SR-71 aircraft
3313
                  with foot patrols
3321 in Bulgaria with satellites
3322
                    with SR-71 aircraft
                    with foot patrols
3 123
3331 in Yugoslavia with satellites
3332 with SR-71 airc
                       with SR-71 aircraft
3333
                       with foot patrols
3341 in Romania with satellites
3342
                   with SR-71 aircraft
3343
                   with foot patrols
```

### COVERT OPERATIONS ACTIONS YOU CAN TAKE

```
Transmit false information
4111 about planned U.S. military actions in Russia
4112
                                              in Bulgaria
4113
                                              in Yugoslavia
                                              in Romania
4114
4121
      about planned U.S. political actions in Russia
4122
4123
                                                in Bulgaria
                                                in Yugoslavia
4124
                                                in Romania
      about planned U.S. economic actions in Russia
4131
4132
4133
                                               in Bulgaria
                                              in Yugoslavia
4134
                                              in Romania
4141
      about planned U.S. covert operations in Russia
4142
                                                in Bulgaria
4143
                                                in Yugoslavia
4144
                                                in Romania
Send additional agents
4211 to penetrate
      to penetrate military organizations in Russia
4212
                                               in Bulgaria
4213
                                               in Yugoslavia
4214
                                              in Romania
4221
      to penetrate political organizations in Russia
4222
                                                in Bulgaria
4223
                                                in Yugoslavia
4224
                                                in Romania
4231
      to penetrate intelligence organizations in Russia
4232
                                                   in Bulgaria
4233
                                                   in Yugoslavia
4234
                                                   in Romania
Sabotage
4311
      power plants in Russia
4312
                     in Bulgaria
4313
                     in Yugoslavia
4314
                     in Romania
4321
4322
     rail lines in Russia
                   in Bulgaria
4323
                   in Yugoslavia
4324
                   in Romania
4331
4332
      communication facilities in Russia
                                  in Bulgaria
4333
                                   in Yugoslavia
4334
                                  in Romania
4341
      air fields in Russia
4342
4343
                   in Bulgaria
                   in Yugoslavia
4344
                   in Romania
4351
4352
      fuel dumps in Russia
                   in Bulgaria
4353
                   in Yugoslavia
4354
                   in Romania
4361
      navy yards in Russia
4362
4363
4364
                   in Bulgaria
                   in Yugoslavia
                   in Romania
4371
      bridges in Russia
4372
               in Bulgaria
4373
               in Yugoslavia
4371
               in Romania
4381
4382
4383
4384
      industrial plants in Russia
                          in Bulgaria
                           in Yugoslavia
                           in Romania
4391
      army bases in Russia
                   in Bulgaria
4392
                   in Yugoslavia
4393
4394
                   in Romania
```

4411 of military leaders in Russia 4412 in Bulgaria 4413 in Yugoslavia 4414 in Romania 4421 political leaders in Russia 4422 in Bulgaria 4423 in Romania 4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4524 in Romania 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Yugoslavia 4534 in Romania	Influ	ence attitudes
4413 in Yugoslavia 4414 in Romania 4421 political leaders in Russia 4422 in Bulgaria 4423 in Romania 4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4521 by encouraging defection in Russia 4531 by encouraging defection in Russia 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria 4533 in Romania	4411	
4414 in Romania 4421 political leaders in Russia 4422 in Bulgaria 4423 in Yugoslavia 4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4521 by encouraging defection in Russia 4521 by encouraging defection in Russia 4522 in Bulgaria 4531 by encouraging defection in Russia 4532 in Bulgaria 4532 in Bulgaria 4533 in Yugoslavia	4412	
4421 political leaders in Russia 4422 in Bulgaria 4423 in Yugoslavia 4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Bulgaria 4524 in Romania 4524 in Romania 4525 in Bulgaria 4526 in Bulgaria 4527 in Bulgaria 4528 in Romania 4529 in Romania 4530 in Romania 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria	4413	in Yugoslavia
4422 in Bulgaria 4423 in Yugoslavia 4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Bulgaria 4524 in Romania 4524 in Romania 4524 in Romania 4531 by encouraging defection in Russia 4532 in Bulgaria 4532 in Bulgaria 4533 in Romania	4414	V
4423 in Yugoslavia 4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Bulgaria 4524 in Romania 4524 in Romania 4521 by encouraging defection in Russia 4531 by encouraging defection in Russia 4532 in Bulgaria 4532 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria 4533 in Bulgaria 4534 in Romania	4421	political leaders in Russia
4424 in Romania 4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Sulgaria 4524 in Romania 4524 in Romania 4521 by encouraging defection in Russia 4531 by encouraging defection in Russia 4532 in Bulgaria 4532 in Bulgaria 4533 in Yugoslavia	4422	
4431 of the general population in Russia 4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4524 in Romania 4521 by encouraging defection in Russia 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4533 in Yugoslavia	4423	in Yugoslavia
4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4524 in Romania 4521 by encouraging defection in Russia 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4533 in Yugoslavia	4424	
4432 in Bulgaria 4433 in Yugoslavia 4434 in Romania  Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4524 in Romania 4521 by encouraging defection in Russia 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4533 in Yugoslavia	4431	of the general population in Russia
Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4533 in Yugoslavia	4432	in Bulgaria
Remove key officials 4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4531 in Yugoslavia	4433	in Yugoslavia
4511 by kidnapping in Russia 4512 in Bulgaria 4513 in Yugoslavia 4514 in Romania 4521 by assassination in Russia 4522 in Bulgaria 4523 in Yugoslavia 4524 in Romania 4531 by encouraging defection in Russia 4532 in Bulgaria 4533 in Bulgaria 4531 fin Yugoslavia	4434	in Romania
1001	4511 4512 4513 4514 4521 4522 4523 4524 4531 4532 4533	by kidnapping in Russia in Bulgaria in Yugoslavia in Romania by assassination in Russia in Bulgaria in Yugoslavia in Romania by encouraging defection in Russia in Bulgaria in Bulgaria in Yugoslavia
	4334	in Aumania

### PUBLIC OPINION ACTIONS YOU CAN TAKE

	ct information from U.S. public concerning support for U.S. actions for Soviet actions
5121 5122	from pro-Western nations concerning support for U.S. actions for Soviet actions
	minate information
5211 5212	to U.S. public concerning current U.S. actions Soviet actions
5221 5222	to pro-Western nations concerning current U.S. actions Soviet actions

### INFORMATION SEARCH YOU CAN MAKE

Econo 6131 6112 6113 6114 6121	Describe	•			•			
6122 6123 6124 6131 6132 6133 6134	Estimate	the cur	rent li	e of cr	edit (mil	to Bulgaria to Yugoslavia to Romania lions of dollars)	to to	Russia Bulgaria Yugoslavia Romania
Polit 6211 6212 6213 6214 6221 6222 6223 6224	Describe		• ′	of of of	Bulgaria Yugoslavi Romania	a and Russia and Bulgaria and Yugoslavia and Romania		

```
Describe the results of the latest diplomatic mission to Russia
6231
6232
                                                              to Bulgaria
6233
                                                              to Yugoslavia
                                                              to Romania
6234
Who is responsible for the latest
62411 Yugoslavian economic actions?
62412
                  political actions?
62413
                  military actions?
62414
                  covert operations?
62421
      Bulgarian economic actions?
62422
                political actions?
62423
                military actions?
62424
                covert operations?
Military
6311
      What is the location of the U.S. 6th fleet Task Force A?
6312
                                                   Task Force B?
6321
      What is the location of the U.S. Air Force interceptor squadrons?
6322
                                                   ground attack fighter squadrons?
6323
                                                   reconnaissance squadrons?
6324
                                                   transport squadrons?
      bomber squadrons? What is the location of U.S. Army Europe Division A?
6325
6331
6332
                                                Division B?
6333
                                                Division C?
6334
                                                Division D?
Covert Operations
Provide information gathered by U.S. agents
6411 in military organizations in Russia
6412
                                 in Bulgaria
6413
                                 in Yugoslavia
6414
                                 in Romania
6421
      in political organizations in Russia
6422
                                  in Bulgaria
6423
                                  in Yugoslavia
6424
                                  in Romania
6431
      in intelligence organizations in Russia
6432
                                     in Bulgaria
6433
                                     in Yugoslavia
6434
                                     in Romania
Public Opinion
Describe the results of the latest opinion poll concerning
6511 support for U.S. actions
```

e productiva de la frança de la construcción de la construcción de la construcción de la construcción de la co

6512

Soviet actions


APPENDIX C
NOTE-TAKING FORM

STORM SCENARIO/YUGOSLAV DILEMMA - PARTICIPANT'S NOTES

MESSAGES MHICH LED TO THIS DECISION	*	
DECISIONS WHICH LED TO THIS DECISION	#	
MY FUTURE DECISION PLANS	CODE	
	RESULTS	
DECISIONS I MADE	CODE/TIME/TEXT	
	•	
MESSAGES RECEIVED	TIME/TEXT	
	•	Γ-1

APPENDIX D
REQUIRED MAPS

# MAP FOR STORM SCENARIO



	_	Τ	Т	_	7	<del>-</del> -	Der	mai	rk ~	7	σī		_		_		Γ_		Γ-					Γ	Γ	T	T		T	I	$\Box$				
$\vdash$	-	1-	+	+	-{	+		Ŧ٩	<b>S</b> pi	nhe	94. 3	/s	96		-	alt	ic	\$			从					T.	T	T	٦.						
Н	L	Nο		+	-	Þ	$\simeq$	<del> </del>	4	T.	+			4	-	Γ-	<b>!</b>	╁╌	┢	<b> </b>		_	1	ţΕ	а	S	le	ŗr	וו	E	Jļ.	O	pe	₽	Γ
	L	150	**	4	4	ان	<b> </b> _	<b> </b>	4	Ľ	-	ᅴ		┝	-	<del> </del>	-	1	1	Ŀ		H-	<del> </del>	t	T	1	1	1,	ıod	T	7	200	-		T
	L	<u> </u>	1	$\perp$	_	2	L	١.,	4	4	4	٤	7	-	-	├	100	•	حَسَا	尸	F	F	╁╌	Ħ	+	<del>}</del>	10	_		t	コ		П		T
		1	1	$\mathbf{L}$	<u>```;</u>		L	غا	1	_	_	$\Box$	ذ	L	L	<u> </u>	<b>L</b>	↓_	<b>!</b>	_	┞-	├	-	H	-	1-	┽	+	+	4	┪		H	$\vdash$	忄
	P	eth.	7	1			$\mathbb{L}$	Ŀ	1	_1			L	L	L	<u> </u>	L	1_	↓_	L	<u> </u>	<u> </u>	<b> </b> _	<del> </del>	<b>\</b>	+-	╀┈	╀	+	+			├┤	┝	╁
Âm		Ţ	7	7	٦		Π	て	7	T				_	<u> </u>	<u> </u>	L		1_	L	<u> </u>	L	1	١,	1	4_	4	+	+	4	긕		}}	-	╊
	17	Ψ	†	+	-1	_	1	1;	7	7	اجاتا لوران	- 1	7	Γ	Π	Τ		1	<u> </u>	Wart	· ·		上	Ц	L	1	┸	1	4	_		<b> </b>	<b> </b>		4-
•	H	十	ľ	ed			t	:1:	•			aiie	. 7		Т	Τ	T	<b>)</b> (	il.	a n	d		1			上		$\perp$	$\perp$	_	لا	_	<u> </u>	<b>!</b>	1
17	۲.	二	Ŗ(	epu	ıbl	ic.	+	†						1	+	1	Τ	ī	T	Ī	T	T	T	Т	T	1		•		ا د		l	L	L	1
-i Be	1	7	4	-0	f-		1-	╀	_8	(E)	UD	110	7	坏	╁╌	╁╌	十	+-	†	†	†	†	T	T	7	T	Т	U.	. <b></b>	. <b>Э</b> .	. R	•	Π		
	L	1	G	ern	181	ny.	4	4	4		_	<b>K</b>	┝	╀╌	<u> </u>	┪-	}-	+-	+-	+-	+-	+-	†	†	7	+	+	T	1			Γ	Π	Π	T
K	₽.	Lux	_	_		Ĺ	Ļ	1	4	8	·	<u> </u>	<b>L</b> *	Proj	40	+	F	₩	╬	٠٠}	ir <b>ait</b> d	<b>네</b> ~	┿	1	4	الا	<del>-</del> +	+	-1	-		$\vdash$	十	╅	1
	7	4	$\perp$						┙	7		_		乚	L	1_	┸	<u>」</u>	¥.	┫	╀	Ł	╄	╀	+	_	-+	+		_	-	╁	十	<del>†</del> -	†
	7	100	7	٦			T		_[	<u>[</u>	7		<u> 2</u>	e c	h o	s'I c	14	ki	₹.	₽	4	4	1	<del>}</del>  _	4	+	-+	+	-}		$\vdash$	+	+-	+-	+
_	1	Ť	7	7			T	1	T		1	D	_	֝֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	7	4			1	L	1	1_	Ų	1	1	4	_	4			1	₩	+-	+	4
╫╴	+	ℽ	7	T	-	Ť	M	nich,	.†				$\overline{}$	P	7	$\Pi$	T	T	1	L	1		ሦ	٦		_		4	么		4	L	4	1	4
_	╁	4	+†	ᅱ	5	t	t	+	士	$\overline{}$	3	1	t	†™	enne I	I	木	工	不	Τ	13	•	1	7	T		1				$ar{D}$	L	1	1	_
	4	Ļ	_	긕	Z			*	7		A	ų s l	FI	4	十	7	十	Ŧ	1/	Bude	posi	1	7	丁	T	T	$\neg$	T			Γ	7			
3	, s	wit	201	lan		•	>	4	#	ή-	-	+	╀	╀	士				ng	8	y-	+	九	+	1	, di	1	7		Γ	Г	$\sqcap$	ıΠ	Τ	
		Ĺ	口	ت	<u> </u>	1	1	4	_	_	$\models$	<b>↓</b> _	14	‡	#	¥	+	+	*	+	Ť	₩	+	+	+	+	-+	7		┝	十	۲	#	1	
5	ተ	$\mathcal{T}$		<b>"</b>	_		1		_[	_	Ľ		L	1	1	47	オ	4	1	╆	枈	4	╬	- <b> </b> R	t o	'n	1 8	n	i	3 —	╁	十	士	⇇	7
5 6	Y	T	$\neg$			Т	7			:		ייע	este		• 2	ag ob		土	1	<u> </u>	L	犴	4	4	4	4	-+			├-	┼	$\mathcal{H}$	1	╬	₹
417	+	7			Г	†	7	7	٦	١.	Г	1	<b>4</b> 、	T	1	T	T		1	Ser.	<u>^</u>	<u> </u>	<u>L</u>	┙	$\perp$	4	_	_		L	丰	13	4	12	_
_	$\pm$	+	٦	_	H	t	十	+	7	Ť	✝	15	Ti	1	7	1	T	٦	T	Beigr	-00°	J	ች	Y			i	hch	ares	<u>.</u>	L	1	<u>)</u>	4	_
<u>31                                    </u>	7	4	4	<u>~</u>	-	4,	الم	Marj	7	_	╀╌	╁╴	+	+	+	+	<u>-</u> -	+	_	• -		1	7	7	J	T	1			1	1	4	<u> Ł</u>	<u> 1</u>	
	Mo	nace	4	_	<b> </b>	+	+	-	-	1	╁╴	╁╌	+-	╁	+	ر4-	រុប	g	0 5	1,8	V	1	十	7	4	7	$\dashv$	ㅋ		T	Τ	T	7	7	
1	1	4		_	L	1	4	4	_	_	ħ	4-	╀	+	4	त्र	+	+	┽	╅	╁	+	十	巾	d	┪	—† Bu		_	†	Ţ	T	T	Blac	ck
0		C	SIC		L	Ŀ					1	1	1	4	4	Į	Ц.	-	4	+	+	+	┰	-1,	<del>/</del>	_		Щ	JA	·	4_	+	1		_
9	7	7	-		_	1	1	<u> </u>	Ca	Ľ	1	$\boldsymbol{V}$	L	1	A d	riat	آلمنا	4	4	4	4	4	}-	-15	+	*8	Me.	-	_	╀╴	╁	士	7	+	_
8	1	٦	<u>,                                    </u>	1	Т	T	٦	$\neg I$	١.		T -	T	1	_1_		5ea			Υ,	Ŀ	Ţ	77	*Si	۱۰ عنصم	オ	_	_		-	╀	Ж	4	7	4	
7	+	┪	W O	┢	t	†	7		7		Ĩ	T	Т	Т	7	Т	1			1	7	1		~~~~ ~~~~	_		_4	1	١.	뇓	半	4		أوعله	إيط
针	+		٠,٠	\$	╁	†	7	┪	_	b	Ī⊽	1	1	7	丁	ব	7	Т		4			1	$\downarrow$	-1					L	L	┸	4	1	_
	4	+		1	╀	┿	+	ᅱ	_	┢	┿	12	╁	+	十	+	4	7	十	4	iba	nia	7	7	$\neg$		1	~	Γ	Г	Ч.	1	4	1	
5	4	4		Ś	ard:	nia-	4	괵	<u> </u>	}	_ـــــــــــــــــــــــــــــــــــــ	+-	4	╅	┪	+	+	$\forall$	$\forall$	_1_	3 1		4	7	7		1			7	Ţ	$T_{i}$	tuel		<u> </u>
41	┙	į,		~	Ļ	4		411			a n	4-	+	4	+	╬	-+	-4	}	+	+	升	-	一十	$\dashv$		`	1.		1	1	丰	1011	key	, -
3	J				L	$oldsymbol{\perp}$			ea	1	┸	┸	1	4	$\downarrow \downarrow$	ユ	,		4		\$4	, t	ire	ecė	-		<b> </b> -	l e ;	• •		+	4	寸	+	_
3	7			Γ	Ţ	J			L	L	1	1	┙	_	1		Ц	_,	, nla	<u>,</u> , L	4	-1	=			عكا	<b>k</b> -		+-	╁	~		+	+	
计	7			Π	Τ	7				Γ	T	$\int$			۲.	$\prod$			<u>Sea</u>		1	_[	اـــ	_	_	· .	-	Į.	╁_	+	7	4	+	+	_
히	┪	_		T	1	7	ヿ		八	1	1	1.	不	^7	J ]	1	٦	Ī			_ [	7		7	$\leq$	الح	رم	y hor	1,	1	1	4	4	4	_
	-}		-	╁	╁	+		_	<del> </del> -	十	ts	city	+	7	4	ヿ	7	1	寸	7	7	$\neg$	17	7		1	[ ]	Ţ 	1		$\perp$	丄		1	_
91	إ		<u> </u>	1	+	<del>.  </del>	-		1	十		7	+	5	-	一	-1		-	7	7	7		٦.		5	1	Π	Τ	1	1			_	
	口		<u>ron</u>	*	4	4	_	<b> </b> -	-	╀	+	+	-	4	ᅱ	-+	┥			-+	7	{	$\dashv$	۲,	14	1	T	T	T	1	T	丁	T	T	1
7			L	L	4	4		L	L	╀	4	4		4	$\dashv$	-	-		$\dashv$	-+	4			Н	13	┝	+-	†	t	+	ヿ	_	7	寸	۲
6			Ĺ	Ĺ	L			L	L	1	ᆚ	_1	للعة	4	_	_	_				-4			$\vdash$		-	+	+	+	+	+	十	-	-	۲
51		TU	nis	ia	T	3					╛	_]	_				]		$\square$	_	4	_	_	Ш	<u> </u>	<del> -</del>	+	₽	4	<u> </u>	4	╌╂	-+	{	┝
5 4	_		ī	ī	1	7	_	1	Γ	T	T	T	7						<u> </u>	1					_	<u> </u>		1	1	Ĩ	4	_}	_}		-
#	-	۳	t	十	十	ᅥ	_	T	十	†	7	1	M	e d	ite	rr	n	e a 1	n S	e a	7			_ ]	<u> </u>				1	$\perp$	لـ	┙		_	L
3 2		-	╄	╀	+	$\dashv$	-	+	十	╁	十	+	7	-		М	_	М	$\Box$	7	$\dashv$			T	Γ	1	T	T	T	1		}			
4		<b> </b> _	1	1	1		_	╀-	+	+	+	-	-{		<u> </u>	$\vdash$	$\vdash$	┢	H		┥		t-	t-	1	1	T	1	1	7	7	$\neg$	$\neg$		Γ
-1		j		1	4.		L		1	1		_,						L_	PΦ		_		<b> </b>	<del> </del> _	<b> </b> _	╀-	╀~	+	+	4	-			Н	+
4 2													_	_																				_	-

APPENDIX E
LONG AND SHORT FORM INSTRUCTIONS

# Appendix E - Long and Short Form Instructions

# Long Form Instructions

- A) You have just entered a decision. If you plan to make related decisions in the future, please enter these plans now.

  Note that these planned decisions must also be entered at a later time (when you actually wish to execute them).

  Are you planning any future related decisions?
- B) The decision you recently made may have been planned when you made earlier decisions. If this decision was previously planned, enter the numbers of all previous decisions that you made as you planned the current action.

If you do not remember the number of those previous decisions, please check the print-out or your notes. Please enter these related decisions by their number. Separate numbers by a semi-colon (;). Hit the return key when all numbers have been entered. If this decision was not planned in the past, enter zero (0).

c) If your decision was made entirely or partly in response to recently received messages, enter the number(s) of those messages. Separate message numbers with a semi-colon (;). If none, enter zero (\$\theta\$). Press return after all numbers have been entered.

# Short Form Instructions

A) Are you currently planning any future related decisions?

decision, please enter the decision numbers of all previous decisions that you made as you planned the current action. Separate decision numbers with a semi-colon (;). If none, enter zero (0). Press return after all numbers have been entered.

partly in response to recently received partly in response to recently received messages, enter the number(s) of those ressages. Separate message numbers with semi-colon (;). If none, enter zero (\$\theta\$). ress return after all numbers have been entered.

APPENDIX F
SAMPLE PARTICIPANT PROFILE

```
PROGRAM MEASURE
    UNBER OF MINUTES IN SIMULATION:74
UMBER OF MESSAGES=24
UMBER OF DECISIONS=38
UMBER OF PERIODS=3
1/COMPLEX TEST
OUR DECISION TO REDUCE CREDIT TO YUGOSLAVIA BY 1 MILLION DOLLARS @!-28>25@
IME=52.5
   IME 52.5

EKIULE MESSAGES 12

EKIULE MESSAGES 17

EKIULE MESSAGES 17

EKIULE MESSAGES 17

EKIULE MESSAGES 17

EKIULE MESSAGES 10

EKIULE MESSAGES 10

EKIULE MESSAGES 10

EKIULE MESSAGES 10
    2/COMPLEX TEST
GUR JECISION TO SEND MESSAGES CONCERNING THE POTENTIAL IMPOSITION OF ECONOMIC SA
CILONS 10 THE RUSSIAN AMEASSADOR
IME=34,5
ERION=2 MESSAGES=12
ERISION NUMBER=18 TIME=06/18 21:55:52
10:211.1:1:2112.1
ASEN ON DECISIONS:0
ASEN ON MESSAGES:0
      /COMPLEX TEST
JUR DECISION TO REDUCE EXPORTS OF HIGH TECHNOLOGY PRODUCTS TO RUSSIA
RIOL=2 MESSAGES=12
CISION NUMBER=19 TIME=06/18 21+57+45
    3/COMPLEX TEST
GUR DECISION TO SEND MESSAGES CONCERNING THE POTENTIAL INVOLVEMENT OF U.S. FORCE
IN YUGOSLAVIA TO THE RUSSIAN AMBASSADOR
    IN TUGUSLAVIA TU THE KUSSIAN AMBASSAI
INE=38.5
ERIUD=2 MESSAGES=13
ECISIUN NUMBER=20 TIME=06/18 21#59#53
#12131.1#12132.1
UTURE DECISIONS:(#D1321.1)
#SED ON DECISIONS:0
#SED ON MESSAGES:0
R7/COMPLEX TEST
YOUR DECISION TO SEND DIPLOMAIS TO DISCUSS POTENTIAL IMPOSITION OF ECONOMIC SANCT
JULE 1015 WITH THE RUSSIAN AMBASSADOR 0179>750
JELE 10 5
FELO 15
JEC 1510 NUMBER 21 TIME = 06/18 22102128

[10211.1112212.1]
FULLE DECISIONS: (*101321.1)
FASE 1: ON DECISIONS: 0
BASE 1: ON MESSAGES: 0
```

```
R8/COMFLEX TEST
YOUR DECISION TO SEND DIFLOMATS TO DISCUSS FOTENTIAL RESUMPTION OF NORMAL TRADE W
1TH THE RUSSIAN AMBASSADOR 0:=79>750
PERIOD:=2 MESSAGES=13
DECISION NUMBER=22 TIME=06/18 22:04:50
(FD2221.1:D2222.1)
FUTURE DECISIONS:(FD1321.1)
BASED ON MESSAGES:0
    R9/CONFLEX TEST
YOUR DECISION TO REDUCE EXPORTS OF FOOL TO RUSSIA HAS BEEN SUCCESSFULLY CONFLETE
   II.
TIME=.5
FERIDI=1 MESSAGES=1
BEC15IGN NUMBER=1 TIME=06/18 19:40:38
(:D1111.1)
  FUTURE DECISIONS:( | D1121.1)
BASEL ON BECISIONS:N
BASEL ON MESSAGES:1
  R10/COMPLEX TEST
TOUR DECISION TO REDUCE IMPORTS OF MANUFACTURED GOODS FROM RUSSIA
TIME=44.5
FERION:2 MESSAGES=13
DECISION NUMBER=23 TIME=06/18 22:07:12
(FD1221.1)
RASED ON MECISIONS:15:18
BASED ON MESSAGES:13
 R11/CUMFLEX TEST
YOUR DECISION TO ARRANGE A CONFERENCE WITH CABINET MEMBERS TO ASSESS PREVIOUS PO
L11/ICAL ACTIONS 9!=83>850
TIME=46.5
FERION=2 MESSAGES=14
DEC1510N NUMBER=24 TIME=06/18 22;10;51
(;1/2311.1)
BASED ON DECISIONS:0
BASED ON MESSAGES:14
 R14/COMPLEX TEST
YOUR DECISION TO ALERT U.S. SIXTH FLEET TO PREPARE TO MOVE
TIME=50.5
PERION=2 MESSACES=14
DECISION NUMBER=26 TIME=06/18 22:14:50
  #103101 NUMBER-20 ....
#103111.1)
FUTURE DECISIONS:(#D3221.1#D3222.1)
#ASED ON DECISIONS:14
#ASED ON MESSAGES:0
   (15/COMPLEX TEST
COUR. DECISION TO REDUCE EXPORTS OF HIGH TECHNOLOGY PRODUCTS TO RUSSIA HAS BEEN S
UCCESSFULLY COMPLETED.
 ITHE 2.5

PERION MESSAGES=1

DECISION NUMBER=2 TIME=06/18 19;42;43

(;11121.1)

FUTURE DECISIONS:(;13211.1;13212.1)

BASEL ON DECISIONS:1

BASEL ON MESSAGES:1
   16/COMPLEX TEST
OUR DECISION TO REDUCE IMPORTS OF RAW MATERIALS FROM RUSSIA
FERION=2 MESSAGES=15

DECISION NUMBER=27 TIME=06/18 22:17:16

(*11211.1)

FLTURE DECISIONS:(#13221.1#13222.1)

#ASED ON DECISIONS:16:17:19

#ASED ON MESSAGES:0
k17/COMPLEX TEST
YOUR DECISION TO REDUCE EXPORTS OF FOOD TO RUSSIA
TIME=54.5
FERION=2 MESSAGES=15
DECISION NUMBER=28 TIME=06/18 22:19:44
(111111.1) UNDBER=28 TIME=06/18 22:19:44
FUTURE DECISIONS:(103221.1:03222.1)
BASED ON DECISIONS:0
BASED ON MESSAGES:0
RIB/COMPLEX TEST
YOUR NECISION TO MOVE U.S. SIXTH FLEET TASK FORCE A TO THE ADRIATIC SEA HAS MEE
N SUCCESSFULLY ACCOMPLISHED. 8!=2>208
IINE 9.5
PĒKĪDĪ: 1 MESSAGES=2
DĒCISIDN NUMBĒR=3 TIME=06/18 19:45:03
```

```
(#13211.1#13212.1)
FUTURE DECISIONS:(#D1211.1)(#D3221.1#D3222.1)
BASED ON DECISIONS:2
BASED ON MESSAGES:0
R19/CGMPLEX TEST
YOUR DECISION TO REDUCE CREDIT TO BULGARIA BY 1 MILLION DOLLARS 0!-28>24@
TIME=56.5
PEKION=2 MESSAGES=15
DECISION NUMBER=29 TIME=06/18 22;22;04
(;1:321.1)
FUTURE DECISIONS:(;1:3221.1;1:3222.1)
FASED ON DECISIONS:20;21;22
BASED ON MESSAGES:0
 R20/CDMPLEX TEST
YOUR IECTSION ID ARRANGE A CONFERENCE WITH CABINET MEMBERS TO PLAN FUTURE POLITI
CAL ACTIONS 0!=84>860
TIHE=58.5
PERION=2 MESSAGES=15
BECISION NUMBER=30 TIME=06/18 22:24:40
FUTURE DECISIONS:(#D3221.1#D3222.1)
FASEL ON DECISIONS:14
BASEL ON MESSAGES:0
R21/COMPLEX TEST
YOUR DECISION TO REDUCE IMPORTS OF RAW MATERIALS FROM RUSSIA HAS BEEN SUCCESSFUL
LY COMPLETED.
11mE=0.5
 PERIOL=1 MESSAGES=3
DECISION NUMBER=4 TIME=06/18 19:48:08
FUTURE DECISIONS:(#13221.1#13222.1)
BASEL ON DECISIONS:3
RASEL ON MESSAGES:0
R22/COMPLEX TEST
YOUR NELISION TO REDUCE EXPORTS OF FOOD TO RUSSIA
TIME=60.5
PERIOD=2 MESSAGES=16
DELISION NUMBER=31 TIME=06/18 22:27:06
(**Juli1.1)
FUTURE DELISIONS:(**D3221.1*D3222.1)
BASED ON DELISIONS:0
BASED ON MESSAGES:0
R23/CUMPLEX TEST
YOUR DECISION TO SEND MESSAGES CONCERNING THE POTENTIAL IMPOSITION OF ECONOMIC SA
NCTIONS TO THE RUSSIAN AMBASSADOR
TIME=62.5
PERIOU=3 MESSAGES=18
DECISION NUMBER=32 TIME=06/19 00:01:50
(1)2111.1;D2112.1)
BASED ON DECISIONS:0
BASED ON MESSAGES:18
R::/COMPLEX TEST
YOUR BECISION TO TRANSMIT FALSE INFORMATION ABOUT PLANNED US MILITARY ACTIONS IN
RUSSIA
TIME=04.5
PERIOD=3 MESSAGES=19
DICLISION NUMBER=33 TIME=06/19 00:03:51
(:0411.1)
FLTURE DECISIONS:(!D2231.1:D2232.1)
FASED ON DECISIONS:0
BASED ON MESSAGES:19
R26/CDMPLEX TEST
YOUR DECISION TO REDUCE EXPORTS OF HIGH TECHNOLOGY PRODUCTS TO RUSSIA
TIME=66.5
PERION=3 MEBSAGES=20
DECISION NUMBER=34 TIME=06/19 00:06:26
FUTURE DECISIONS: (101221.1)
FASED ON DECISIONS:0
BASED UN MESSAGES:0
R27/COMPLEX TEST YOUR DECISION TO MOVE U.S. AIR FORCE INTERCEPTOR SQUADRONS (W. GERM) TO AIRFIELD
```

```
TIN BRITAIN #!=51>46#
TIME=60.5
PERION=3 MESSAGES=21
DEL151UN NUMBER=35 TIME=06/19 OOF11#38
(#13221.1#13222.1)
FUJURE DECISIONS:(#N1211.1)(#N1331.1)(#N2231.1#N2232.1)
BASCH UN DECISIONS:26#27#28#29#30#31
BASCH UN MESSAGES:0
R29/LUMPLEX TEST
YOUR LECISION TO REDUCE IMPORTS OF RAW MATERIALS FROM RUSSIA
TIME=70.5
PERIOL=3 MESSAGES=22
DECISION NUMBER=36 TIME=06/19 00:15:21
(:11:211.1)
FUTURE DECISIONS:(:1:1111.1)
BAGEL ON DECISIONS:35
BASEL ON MESSAGES:0
  31/CGMPLEX TEST
DUR DECISION TO REDUCE IMPORTS OF MANUFACTURED GOODS FROM RUSSIA WAS NOT SUCCES
FERIOR=1
FERIOR=1
HESSAGES=3
IEC1510N NUMBER=5
TIME=06/18
19:50:48
(:11221.1)
FUI DRE TECISIONS:(:103221.1:103222.1)
RASEL ON DECISIONS:0
FASEL ON MESSAGES:0
  32/COMPLEX TEST
UUR NECISION TO REDUCE CREDIT TO YUGOSLAVIA BY 1 MILLION DOLLARS 0!-28>25@
1ME=72.5
ERIOU=3 MESSAGES=23
ERIOU=3 NUMBER=37 TIME=06/19 00;17;25
  tlistor monach

1:1331.1)

uture decisions:(10:1111.1)

ASED ON DECISIONS:35

ASED ON MESSAGES:0
R33/COMPLEX TEST
YOUR DELISION TO SEND DIPLOMATS TO DISCUSS FOTENTIAL INVOLVEMENT OF U.S. FORCES IN YUGUSLAVIA WITH THE RUSSIAN AMBASSADOR @!=79>75@
PERIOD=3 MESSAGES=24
DECISION NUMBER=38 TIME=06/19 00;19;39
U;10231-1;10232-1)
BACLD ON DECISIONS:33;35
BACLD ON MESSAGES:0
 RS9/COMPLEX TEST
YOUR DECISION TO MOVE U.S. AIR FORCE INTERCEPTOR SQUADRONS (W. GERM) TO AIRFIELD
S IN BRITAIN HAS BEEN SUCCESSFULLY ACCOMPLISHED.0!
BASEL ON DECISIONS:31415
R52/COMPLEX TEST
YOUR RECISION TO MOVE U.S. AIR FORCE INTERCEPTOR SQUADRONS (W. GERM) TO AIRFIELD
5 IN MAITAIN HAS BEEN SUCCESSFULLY ACCOMPLISHED. #!
=51>46#
=1116=14.5
PERIOD=1 MESSAGES=5
```

```
PECISION NUMBER=8 TIME=06/18 19:59:59 (#15221.1113222.1) FUTURE DECISIONS:(#D3221.1#D3222.1) RASED ON MESSAGES:5
R66/COMPLEX TEST
YOUR DECISION TO REDUCE CREDIT TO RUSSIA BY 1 MILLION DOLLARS WAS NOT SUCCESSFUL
TIME=16.5
PERION=1 MESSAGES=6
DECISION NUMBER=9 TIME=06/18 20#04#05
(#11311.1)
FUTURE DECISIONS:(#D1311.1)(#D1331.1)
#ASEL ON DECISIONS:7
#ASEL ON MESSAGES:5
R6B/COMPLEX TEST
YOUR DECISION TO BEND MESSAGES CONCERNING THE POTENTIAL RESUMPTION OF NORMAL TRADE
TO THE RUSSIAN AMBASSADOR WAS NOT SUCCESSFUL.
TIME=18.5
PERION=1 MESSAGES=7
DECISION NUMBER=10 TIME=06/18 20;06;55
(;1:2121.1;1:2122.1)
FUTURE DECISIONS:(;1:1331.1)(;1:22211.1;1:2222.1)
FASED ON DECISIONS:7
BASED ON MESSAGES:0
R70/CDMFLEX TEST
YOUR DELISION TO MOVE U.S. AIR FORCE INTERCEPTOR SQUADRONS (W. GERM) TO AIRFIELD 5 IN BRITAIN HAS BEEN SUCCESSFULLY AGCOMPLISHED.@!
=51>46@
TIME=20.5
PERIOD: 1 MESSAGES=7
DELISION NUMBER=11 TIME=06/18 20:09:53
(;0:3221.1;1:3222.1)
FUTURE DECISIONS: ()D3211.1;D3212.1)
RASED ON MESSAGES:0
R70/COMPLEX TEST
YOUR DECISION TO REDUCE CREDIT TO RUSSIA BY 1 MILLION DOLLARS WAS NOT SUCCESSFUL
†1ME=22.5
PERION=1 MESSAGES=8
NECISION NUMBER=12 TIME=06/18 20:12:29
(;1:311.1)
HASEL ON NECISIONS:9
HASEL ON MESSAGES:0
  R84/COMPLEX TEST
YOUR DECISION TO ARRANGE A CONFERENCE WITH CABINET MEMBERS TO PLAN FUTURE POLITI
CAL ACTIONS WAS NOT SUCCESSFUL.
TIME = 26.5
FERION = 1 MESSAGES = 9
DECISION NUMBER = 14 TIME = 06/18 20;16;51
 (102321.1)
FUTURE DECISIONS:(102321.1)(103111.1)
RASED ON DECISIONS:O
RASED ON MESSAGES:O
R66/COMFLEX TEST
YOUR DECISION TO REDUCE EXPORTS OF FOOD TO RUSSIA HAS BEEN SUCCESSFULLY COMFLETE
D.ME=28.5
TIME=28.5
PERIOU=1 MESSAGES=10
DELISION NUMBER=15 TIME=06/18 20:19:50
(;0:11:1.1)
BASLI ON DELISIONS:0
BASLI ON MESSAGES:9
```

```
R86/COMPLEX TEST
YOUR DECISION TO MOVE U.S. SIXTH FLEET TASK FORCE A TO THE ADRIATIC SEA HAS BEE
N SUCCESSFULLY ACCOMPLISHED.0!=2>200
TIME=30.5
PERIOD=2 MESSAGES=11
DECISION NUMBER=16 TIME=06/18 21#50#59
(#D3211.1#D3212.1)
FUTURE DECISIONS:(#D1211.1)
BASED ON DECISIONS:7#11
BASED ON MESSAGES:0
```

```
NUMBER OF CATEGORIES= 19
FERIOD 1
1-MEASURE=15 (* OF DECISIONS)
2-MEASURE=5 33% (  OF RESPONDENT DEC.)
3-MEASURE=10 (# OF DEC. CATEGORIES)
4-HEASURE=13 86% ( # OF FWI INTEGRATIONS )
5-MEASURE=133 886% ( MULTIPLEXITY F)
6-MEASURE=116 MINUTES (WEIGHT)
7-MEASURE=0 0% ( DF BKD INTEG)
B-MEASURE=2 13% ( # OF UNINTEG.RES.DEC.)
9-hLASURE=562 (QIS)
10-MEASURE=2052 (MEIGHTED DIS)
11-MEASURE=2.9 (AVE.RESPONSE SPEED)
12-MEASURE=4 (SERIAL CONNECTIONS)
13-MEASURE=1 (PLANNED INTEGRATIONS)
14-MEASURE=4 (GENERAL UNINTEGRATED DEC.)
PERION 2
1-MEASURE=16 (# OF DECISIONS)
2-MEASURE=3 18% ( OF RESPONDENT DEC.)
3-MEASURE=14 ( DF DEC. CATEGORIES)
4-MEASURE=12 75% ( # OF FULL INTEGRATIONS )
5-MEASURE=96 600% (MULTIPLEXITY F)
6-MEASURE=184 MINUTES (WEIGHT)
```

```
7-MEASURE=2 12% (# OF BKB INTEG)
B-MEASURE=3 18% (# OF UNINTEG.RES.DEC.)
9-MEASURE=1312 (DIS)
10-MEASURE=3874 (WEIGHTED QIS)
11-MEASURE=3.83333333 (AVE.RESPONSE SPEED)
12-MEASURE=0 (SERIAL CONNECTIONS)
13-MEASURE=0 (PLANNED INTEGRATIONS)
14-MEASURE=2 (GENERAL UNINTEGRATED BEC.)
PERIOD 3
1-MEASURE=7 (# OF DECISIONS)
2-MEASURE=2 28% (4 OF RESPONDENT DEC.)
3-MEASURE=7 (4 OF DEC. CATEGORIES)
4-MEASURE=4 57% (4 DF FND INTEGRATIONS)
5-MEASURE=6 85% (MULTIPLEXITY F)
6-MEASURE=22 MINUTES (MEIGHT)
7-MEASURE=0 OX (4 OF BKD INTEG)
8-MEASURE=1 14% ( O OF UNINTEG.RES.DEC. )
9-MEASURE=134 (QIS)
10-MEASURE=412 (WEIGHTED DIS)
11-MEASURE=.5 (AVE.RESPONSE SPEED)
12-MEASURE=0 (SERIAL CONNECTIONS)
13-MEASURE=3 (PLANNED INTEGRATIONS)
14-MEASURE=2 (GENERAL UNINTEGRATED DEC.)
```

APPENDIX G
DETAILED EXPLANATIONS
OF THE 14 MEASURES
OF DECISION MAKING

The purpose of this appendix is to provide complete definitions of the 14 measures of decision-making strategy calculated by the computer for each simulation period. This appendix provides more detail than that given in the body of the report; it explains the calculation of measures on the "Complex Test" sample participant. That profile is presented in Appendix F.

The 14 measures are calculated by the computer using the data stored for each decision. These data are printed out if the data list option is selected. The majority of the Complex Test printout in Appendix F is the data list section. Pertinent data from the data list section appear in Table A.

Using the data in Table A, a diagram called a time-event matrix was constructed and is presented in Figure A. This matrix contains a point for each decision and clearly shows decision connections. The horizontal axis is time, the vertical axis is decision category. Forward integrations are noted by diagonal lines with a forward arrow —, backward integrations are diagonals with a backward arrow —, serial connections are horizontal lines with a forward arrow —. The sample calculations in this appendix will refer to Table A and Figure A.

<u>Number of decisions (Measure 1)</u> is the total number of decisions executed within a simulation period. To score a decision, a participant must:

- Enter the decision code.
- Execute the decision (by pressing RETURN when the computer asks if the decision should be executed)

Every decision is counted even if the same decision is executed more than once.

As shown in Table A and Figure A, 15 decisions were executed during period 1, 16 in period 2, and 7 in period 3. The category numbers of the decisions are also available in Table A and Figure A.

TABLE A

DATA FOR SAMPLE PARTICIPANT "COMPLEX TEST"
(Adapted from Unger and Swezey, 1983)

DECISION #	DECISION CATEGORY	BASED ON MESSAGE	PLANNED DECISIONS	BASED ON DECISION #	TIME DECISION
<del></del>	CATEGORT	MESSAGE	DECISIONS	DECISION #	EXECUTED
PERIOD 1:					
1	111	1	1121	-	.5
2 3	112	7	3211, 3212	1	2.5
3	321	•	1211, 3221,	2	4.5
•	101		3222	•	6.5
· 4	121 122	•	3221, 3222 3221, 3222	3	8.5
5 6 7	112	-	3221, 3222	-	10.5
ž	322	•	3211, 3212,	3, 4, 5	12.5
			3221, 3222,	• •	
			1311, 2121,		
		_	2122	·, =	
8	322	5 5	3221, 3222	7 7	14.5
. 9 10	131 212	5	1311, 1331 1331, 2211,	7	16.5 18.5
10	212	•	2212	,	10.5
`11	322	-	3211, 3212	8	20.5
12	131	•	•	9	22.5
13	132	-	-	-	24.5
14	232	-	2321, 3111	•	26.5
15	111	9	•	-	28.5
PERIOD 2:					
16	321	-	1211	7, 11	30.5
17	133	-	1211	9, 10	32.5
18	211	-	-	-	34.5
19	112 213	_	1211 1321	-	36.5 38.5
20 21	213 221	-	1321	-	40.5
22	222	•	1321	•	42.5
23	122	13	-	15, 18	44.5
24	231	14	-	•	46.5
25	211	14	•	•	48.5
26	311	•	<b>322</b> 1, 3222	14	50.5
27	121	•	3221, 3222	16, 17, 19	52.5
28 29	111 132	•	3221, <b>3</b> 222 3221, <b>3</b> 222	20, 21, 22	54.5 56.5
<b>30</b>	232	_	3221, 3222	14	58.5
31	111	•	3221, 3222	-	60.5
PERIOD 3:			•		
32	211	18	_	_	62.5
33	411	19	2231, 2232	•	64.5
34	112	-	1221	-	66.5
35	322	•	1211, 1331,	26, 27, 28,	68.5
			2231, 2232	29, 30, 31	70 P
36	121	•	1111	<b>35</b>	70.5
37	133	•	1111	35 22 25	72.5 74.5
38	223	:	-	33, 35	/7.9




Figure A. Time-event matrix for sample participant "Complex Test" (adapted from Unger and Swezey, 1983).

TIME (in real minutes of simulation time)

<u>Number of respondent decisions (Measure 2)</u> is the total number of decisions executed within a simulation period based on a previous message. To score a respondent decision, a participant must:

- Execute a decision
- Report that the decision was based on a previous message or messages

If one decision was based on two messages, then two respondent decisions are scored for that one decision, and so forth. Thus, the number of respondent decisions may exceed the total number of decisions.

From Table A, we see that five respondent decisions were executed in period 1 (with category numbers 111, 112, 322, 131, and 111). We calculate this by counting the number of decisions reported to be based on a message, counting each decision once for as many messages on which it is based. Table A shows three respondent decisions in period 2, and two in period 3.

Also for Measure 2, the printout gives the proportion of respondent to total decisions; in this case, 5/15 or 33% for period 1, 3/16 or 18% for period 2, and 2/7 or 28% for period 3.

Number of decision categories (Measure 3) is the total number of decision categories used within a simulation period. As described thoroughly in the body of the report, a decision category is the first three digits of a decision code, or a decision choice sequence through the first three choice options. Decisions coded 1211 and 1213 are in the same category (121), but decisions coded 1211 and 1221 are in different categories. The decision category of each executed decision is scored only once no matter how often it is selected within a period.

From Table A, we see the decision categories selected in order in period 1 are: 111, 112, 321, 121, 122, 112 (already selected), 322, 322 (already selected), 131, 212, 322 (already selected), 131 (already selected), 132, 232, and 111 (already selected) for a total of 10 categories used in period 1.

The 14 categories in period 2 are scored for each decision except decision numbers 25 and 31 whose categories were already scored.

Each decision in period 3 fell in a different category for a total of seven.

Number of forward integrations (Measure 4) is the total number of forward integrations originating within a period. The integrations may be completed within the period of origination or in a later period. To score a forward integration, a participant must:

- Execute a decision
- Plan a future decision in another decision category
- Execute the planned decision (or any decision in the same category as the planned decision)
- Report that the planned decision was based on the previous decision

To calculate number of forward integrations from Table A, we start at decision 1, code 111. At the time of execution, decision 112 (in a different category from 111) was planned. Later, at decision 2, 112 was executed, and the participant reported that decision 112 was based on previous decision 1 (which is decision 111). Thus, the forward integration is complete.

From Table A, we count the following forward integrations: decision 1 to 2, 2 to 3, 3 to 4, 3 to 7, 4 to 7, 5 to 7 (7 to 8 does not count because both are in the same category), 7 to 9, 7 to 10, 7 to 16, (8 to 11 does not count because they are in the same category; 9 to 12 is also within a category), 9 to 17, 10 to 17, 11 to 16, and 14 to 26 (14 to 30 is within a category).

It is easy to count forward integrations from Figure A. Simply count the diagonals with a forward arrow. (Horizontal lines do not count because they connect within category decisions). Using Figure A, the 12 forward integrations in period 2 are 17 to 27, 16 to 27, 19 to 27, 20 to 29,

21 to 29, 22 to 29, 26 to 35, 30 to 35, 27 to 35, 29 to 35, 28 to 35, and 31 to 35. In period 3, the four forward integrations are 35 to 36, 35 to 37, 35 to 38, and 33 to 38.

Also for this measure, the printout includes the proportion of forward integrations to total decisions. For period 1, this ratio is 13/15 or 86%; for period 2, 12/16 or 75%; for period 3, 4/7 or 57%.

<u>Multiplexity F (Measure 5)</u> is the sum of the count of each forward integration scored within a period, plus all forward integrations originating and ending in the endpoint of each forward integration, plus all forward integrations originating (not ending) in the endpoint of subsequent, directly connected integrations leading to the end of the simulation.

Multiplexity F reflects future planning. As any one integration leads to other integrations, multiplexity increases. Three sample calculations follow.

The sample below appeared in the body of the report and is repeated here for reader convenience. The sample below diagrams seven connected forward integrations (indicated by the arrow at the end of the diagonals). For example, decision C was planned at decisions A and B, and when C was executed, it was reported based on A and B.

Category	Time —
111	H
121	G
123	The state of the s
131	E
132	<b>1 1 1 1 1 1 1 1 1 1</b>
211	C
222	A 1
223	₽ <b>`</b>

We will use this diagram to explain the calculation of Multiplexity F for integration BC.

# BC+AC+CD+CE+EF+FG = 6

HG does not count because it ends, not begins, at the endpoint of the forward integration FG, which is not the integration of interest. AC counts because, for the integration of interest, BC, all integrations connected to its endpoint are connected. If all seven integrations were scored in one period, the total for the period would be the sum of the values for each integration.

To calculate Multiplexity F for period 3 in the sample, refer to the time event matrix (Figure A) and to Table B.

Period 2 of the sample provides a more complex example. See Table C.

Weight or integration time weight (Measure 6) is the sum of the time elapsed from initial to endpoint decision for each forward integration scored in a period. Time in this measure is real minutes of simulation time. For example, if time from original decision A to planned and executed endpoint decision C is three minutes, and from decision B to planned decision D is five minutes, the weight is eight minutes (even if AC and BD overlap in time). Backward integrations (see Measure 7) are not counted in this measure.

Weight may be easily calculated using the data in Table A. For period 1, weight for the 13 forward integrations credited to period 1 is calculated in Table D.

<u>Number of backward integrations (Measure 7)</u> is the total number of backward integrations originating in a period. The backward integration may or may not end in the same period. To score a backward integration, the participant must:

- Enter a decision A (endpoint decision)
- Not enter plans to execute decision B

TABLE B

MULTIPLEXITY F CALCULATION FOR PERIOD 3
FOR SAMPLE PARTICIPANT "COMPLEX TEST"

FORWARD INTEGRATIONS SCORED IN PERIOD 3	ALL FORWARD INTEGRATIONS DIRECTLY CONNECTED TO THE ENDPOINT	FORWARD INTEGRATIONS ORIGINATING AT THE ENDPOINT OF SUBSEQUENT CONNECTED INTEGRATIONS	CALCULATIONS
35-36	-	-	1
35-37	-	-	1
35-38	33-38	-	2
33-38	35-38	-	$\frac{2}{\text{TOTAL}} = \frac{6}{6}$

TABLE C
MULTIPLEXITY F CALCULATION FOR PERIOD 2
FOR SAMPLE PARTICIPANT "COMPLEX TEST"

FORWARD INTEGRATIONS SCORED IN PERIOD 2	INT DIRECT	FORWAR EGRATIO LY CONN HE ENDP	NS IECTED	ORIGI EN SUBSEQ	NATING DPOINT	OF NNECTED	CALCULATIONS
17-27	16-27	19-27	27-35	35-36	35-37	35-38	7
16-27	17-27	19-27	27-35	35-36	35-37	35-38	7
19-27	16-27	17-27	27-35	35-36	35-37	35-38	7
20-29	21-29	22-29	29-35	35-36	35-37	35-38	7
21-29	20-39	22-29	29-35	35-36	35-37	35-38	7
22-29	20-29	21-29	29-35	35-36	35-37	35-38	7
26-35	30-35 28-35 35-37	27-35 31-35 35-38	29-35 35-36		-		9
30-35	26-35 28-35 35-37	27-35 31-35 35-38	29-35 35-36		-		9
27-35	26-35 28-35 35-37	30-35 31-35 35-38	29-35 35-36		-		9
29-35	26-35 28-35 35-37	30-35 31-35 35-38	27-35 35-36		-		9
28-35	26-35 29-35 35-37	30-35 31-35 35-38	27-35 35-36		-		9
31-35	26-35 29-35 35-37	30-35 28-35 35-38	27-35 35-36		-		TOTAL = 9

TABLE D INTEGRATION TIME WEIGHT CALCULATIONS FOR PERIOD 1 FOR SAMPLE PARTICIPANT "COMPLEX TEST"

	FORWARD IN IN PE	TEGRATIONS RIOD 1	TIME OF EX	ECUTION*	TIME ELAPSED IN REAL MINUTES OF SIMULATION TIME
	Origin Decision	Endpoint Decision	Origin Decision	Endpoint Decision	
	1 2 3 4 5 7 7 7 11 9 10	2 3 4 7 7 9 10 16 16 17 17	.5 2.5 4.5 4.5 6.5 8.5 12.5 12.5 12.5 16.5 18.5 26.5	2.5 4.5 6.5 12.5 12.5 16.5 18.5 30.5 30.5 32.5 50.5	2 2 8 6 4 4 6 18 10 16 14 24 2
National Control of the Control of	minutes a execution	ution times i and at half m n times at an ey, 1983)	inutes: howev	ver, the com	puter registers
			G-10		
	*****				

minutes and at half minutes; however, the computer registers

- Execute decision B (the origin decision) in a different category from decision A
- Report that decision B was based in part on decision A

Note that backward integrations, unlike forward integrations, originate at a time <u>later</u> than their endpoints. Both forward and backward integrations, however, are credited to the period during which they originated.

It is easier to calculate backward integrations from the time-event matrix in Figure A than from Table A. On the matrix, a backward integration is a diagonal with a backward arrow pointing to the endpoint. There are no backward integrations in periods 1 and 3 of the sample. Period 2 has two backward integrations, 23 to 15 and 23 to 18.

Unintegrated respondent decisions (Measure 8) is the total number of unintegrated respondent decisions within a period. An unintegrated respondent decision occurs in response to a message, but may not originate a forward integration. An unintegrated respondent decision may, however, be part of a backward integration, or the endpoint of a forward integration, and it may lead to another decision in the same category. Unintegrated respondent decisions are a special case of respondent decisions because general respondent decisions may be any part of an integration. To score an unintegrated respondent decision, a participant must:

- Execute decision A (A may be planned or not planned)
- Report that decision A was based on a previous message

## AND EITHER

 At the time decision A is executed, not report a decision plan in a different category

OR

 Report a decision plan in a different category, execute the plan, but not report it based on decision A In order to calculate number of unintegrated respondent decisions we need more information than is shown on the time-event matrix, so we use Table A. We will first find all the respondent decisions, then test to see if they originate forward integrations which will exclude them from being "unintegrated."

For period 1, the respondent decisions are 1, 2, 8, 9, and 15. Decisions 1 and 2 originate forward integrations so they are not unintegrated. Decision 8 leads only to a decision in its own category so it is unintegrated. Decision 9 originates a forward integration. Decision 15 does not originate a forward integration and is unintegrated. Thus, Decisions 8 and 15 are the only two unintegrated respondent decisions in period 1.

For period 2, the respondent decisions are numbers 23, 24, and 25. None of them originates a forward integration and are all unintegrated according to the use of the word unintegrated in this measure. Decision 23 originates two backward integrations, but still counts as unintegrated.

For period 3, the respondent decisions are 32 and 33. Decision 33 originates a forward integration; 32 is an unintegrated respondent decision.

QIS or quality of integrated strategies (Measure 9) is the sum of, for each forward integration scored in a period, the time weight for that integration multiplied by the sum of the number of forward integrations originating and ending at the origin and endpoint of the forward integration plus one for that forward integration.

QIS may be thought of as reflecting the complexity of plans at any point. Where plans are connected in a strategy, QIS is high. The QIS score is low where integrations are not connected. QIS also increases with the time interval from origin to endpoint of integration. Two samples of QIS calculations follow.

The sample below was used in the body of the report. If vector AB is a forward integration, and forward integration vectors CA and DA end at decision A in AB, and AE originates at A in AB, and forward integration vectors BF and BG originate at B in AB, and HB ends at B in AB, and the time elapsed from A to B is four minutes, the QIS score is four (the time weight) multiplied by the sum one for AB plus three for CA, DA, and AE, plus three for BF, BG, and HB, or 4(7) or 28.

Category	Time
111	D
121	\
123	A 4 mins.
131	
211	
222	c'
232	<b>\</b>
311	Ĥ

Period 3 of the sample provides a more complex example of the QIS calculation. To calculate QIS for period 3 in the sample, refer to the time-event matrix and Table E.

Weighted QIS (Measure 10) is the sum of each forward integration scored in a period, plus all forward integrations originating and ending at both ends of the forward integration, plus all forward integrations originating (not ending) in the endpoint of subsequent, directly connected integrations until the end of the simulation, plus all forward integrations ending (not originating) in the origin of previous directly connected integrations until the beginning of the simulation, multiplied by the time weight.

Weighted QIS and QIS are equal when the strategy employed links only three or two decisions together; that is, one forward integration linked to one other forward integration, or just one forward integration not connected to any other integration.





TABLE E

# CALCULATION OF QIS FOR PERIOD 3 USING SAMPLE PARTICIPANT "COMPLEX TEST"

CALCULATION Weight(1 + integrations around origin + integrations around endpoint)		10(1 + 0 + 1) = 20	2(1 + 8 + 0) = 18	4(1 + 8 + 0) = 36	6(1 + 8 + 1) = 60 134
T IME WE IGHT		2	N	4	ဖ
FORWARD INTEGRATIONS CONNECTING TO AND FROM ENDPOINT DECISION		35-38	•	•	33-38
FORWARD INTEGRATIONS CONNECTING TO AND FROM ORIGIN DECISION		•	26-35 30-35 27-35 29-35 28-35 31-35 35-37 35-38	26-35 30-35 27-35 29-35 28-35 31-35 35-36 35-38	26-35 30-35 27-35 29-35 28-35 31-35 35-36 35-37
INTEGRATIONS IN PERIOD 3	Endpoint Decision	88	98	37	88
FORMARD INTEGRATIONS SCORED IN PERIOD 3	Origin Decision	33	35	35	35
			C. 14		

However, if four decisions or three forward integrations are linked, weighted QIS increases over QIS because weighted QIS considers all forward integrations linked from beginning to end of simulation, and QIS considers only those directly adjoined to any one forward integration:



Two sample calculations follow. The first example was used in the body of the report. Refer to the diagram below.

Category	Time —
111	G_
121	5 mins
122	Bern
123	A
211	/ H
221	غير/
222	A CL
311	0

If vector AB is a forward integration, and forward integration CA connects to A in AB, and DC connects to C in CA, and CE connects to C in CA, and BF and HB connect to B in BA, and GF connects to F in BF, and time elapsed from A to B is five minutes, the weighted QIS score is five multiplied by the sum of one for AB plus one each for CA and DC (not CE which originates not ends in DC and CA), plus one each for HB and BF (not GF which ends not originates in BF), or 5(5) = 25. Weighted QIS is not QIS multiplied by the integration time weight as the name might imply. It is QIS (which already includes time weight) weighted with integrations distally connected to a target integration.

[The QIS score for the above sample would be five times (1 for AB + 1 for CA + 1 for BF + 1 for HB) = 5(4) = 20. The Multiplexity F for the sample would be one for AB plus one for HB plus one for BF or three. Multiplexity F is essentially the forward half of WQIS minus the time weight.]

WQIS for period 3 of the sample provides a more complex example. Refer to the time-event matrix in Figure A and Table F.

Average response speed (Measure 11) is the average time (in real minutes of simulation time) elapsed between receipt of a message and subsequent execution of a respondent decision. (Recall that a respondent decision is one the participant reports was based on a previous message. See Measure 2.) The calculation is based on every respondent decision within a period.

To calculate average response speed for period 1 in the sample, refer to Table A and Table G.

Number of serial connections (Measure 12) is the number of serial connections scored in one period. A serial connection would be identical to an integration (see Measures 4 and 7) except that decisions connected serially fall in the same decision category, whereas integrated decisions fall in different decision categories.

A serial connection may be either forward or backward; this measure includes both types. To score a serial connection, the participant must:

- Execute decision A
- Plan decision B in the same category
- Report that decision B was based on decision A

OR

Execute decision A

CALCULATION OF WOIS FOR PERIOD 3 OF SAMPLE PARTICIPANT "COMPLEX TEST" TABLE F

CALCULATION TINE WEIGHT (SUM OF EACH OF THE FOUR COLUMNS)	10(1+1+0+25) = 270	2(1+8+0+19) = 56	4(1+8+0+19) = 112	6(1+9+0+19) = 174 TOTAL = 612
CONNECTED FORMARD INTEGRATIONS LEADING TO THE BEGINNING OF THE SINDLATION	31-35 28-35 29-35 27-35 30-35 26-35 4+ 22-29 20-29 19-27 17-27 16-27 9-17 10-17 7-9 7-16 4+7 3-7 2-3 1-2	14-26 ** 22-29 21-29 20-29 19-27 17-27 16-27 9-17 10-17 7-9 7-10 *** 11-16 7-16 *** 5-7 4-7 3-4 3-7 2-3	14-26 ** 22-29 21-29 20-29 19-27 17-27 16-27 9-17 10-17 7-9 7-10 *** 11-16 7-16 *** 5-7 4-7 3-4 3-7 2-3	14-26 ** 22-29 21-29 20-29 19-27 17-27 16-27 9-17 10-17 7-9 7-10 *** 11-16 7-16 *** 5-7 4-7 3-4 3-7 2-3
CONNECTED FORMARD INTEGRATIONS LEADING TO THE END OF THE SIMULATION	•	•	•	•
ALL FORMARD INTEGRATIONS DIRECTLY COMMECTED TO BOTH ENDS OF THE FORMARD INTEGRATION OF INTEREST	<b>第</b>	35-38 35-37 31-35 28-35 29-35 27-35 30-35 26-35	35-38 35-36 31-35 28-35 29-35 27-35 30-35 26-35	33-38 35-37 35-36 31-35 28-35 29-35 27-35 30-35 26-35
FORMED INTEGRATIONS SCORED IN PERIOD 3	<b>*</b>	35-36	35-37	35-38

\*35-36 and 35-37 do not count because they connect origin to origin \*\*14-30 is a serial connection, not an integration \*\*\*9-12 does not count because (a) it is an origin-origin connection and (b) it is serial

TABLE G

# AVERAGE RESPONSE SPEED CALCULATION FOR PERIOD 1 FOR SAMPLE PARTICIPANT "COMPLEX TEST" (from Unger and Swezey, 1983)

RESPONDENT DECISION	TIME MESSAGE DELIVERED*	TIME RESPONDENT DECISION EXECUTED	RESPONSE SPEED
1	0	.5	.5
2	0	2.5	2.5
8	12	14.5	2.5
9	12	16.5	4.5
15	24	28.5	4.5
			Σ 14.5
			$\bar{x} = 2.9$

<sup>\*</sup>Messages in period 1 appeared every three real minutes of simulation time.

- Not plan decision B
- Execute decision B in the same category as decision A
- Report that decision B was based on decision A

A serial connection in a forward direction is credited to the period of the origin decision even if the endpoint occurs in a different period. A serial connection in a backward direction is also credited to the period of the origin decision, but in this type of connection, the origin decision occurs after the endpoint decision because the endpoint is designated only retrospectively.

We can count serial connections in period 1 of the sample by counting the horizontal (not diagonal) lines with forward or backward arrows in the time-event matrix (Figure A). The serial connections are decisions 7 to 8, 8 to 11, 9 to 12, and 14 to 30. There are no serial connections in periods 2 and 3.

Planned integrations (Measure 13) is the number of forward integrations planned but not executed any time before the end of the simulation. If the integration is accomplished at any time, even in a later period than the origin decision, it is considered an executed integration. Planned but not executed integrations are credited to the period in which the origin decision was entered. The planned decision must be in a different decision category from the origin decision category. To score a planned but not executed integration, the participant must:

- Execute decision A
- Plan decision B in another category

### AND EITHER

Not execute decision B

OR

 Execute decision B (or any decision in B category) but not report that decision B was based on decision A To calculate planned but not executed integrations, refer to Table A. In period 1, when decision 1 was executed, decision 1121 was planned, in a different category from origin decision 1111. Decision 1121 was executed (decision 2) and it was reported based on decision 1. Thus, the integration was executed and does not count in this measure. We check each planned decision in this way to see if it was executed. At decision 10 (212), we see that decisions 1331, 2211, and 2212 were planned. Decision 1331 was executed in period 2 (decision 17), reported based on decision 10 and, thus, the integration was accomplished. Decision 2211 (planned at decision 212 and in a different category) was executed in period 2 (decision 21) but was not reported based on decision 10; therefore, one planned but not executed integration is scored. Planned decision 2212 was never executed, but is not scored as such because it is in the same category as planned but not executed decision 2211 mentioned above.

Period 2 contains no planned but not executed integrations. Decision 1211 was planned three times, executed at decision 27, and reported based on the appropriate decisions, so three integrations scored. Decision 1321 was planned but also executed three times. The 12 plans at decisions 26 through 31 are all in the same 322 category, and when decision 3221 (decision 35) was executed it was reported based on decisions 26, 27, 28, 29, 30, and 31. Thus, six more integrations scored in period 2 (easy to see on the time-event matrix).

Period 3 contains three planned but not executed integrations: 1221, 1111, and 1111.

General unintegrated decisions (Measure 14) is the number of general unintegrated decisions within a period. A general unintegrated decision is a decision which is not part of a forward or backward integration. It may be part of a serial connection, or it may be respondent, or planned but not executed, or planned, executed, but not reported based on the previous decision, or isolated completely. Unintegrated respondent decisions and planned but not executed integrations are subsets (may be overlapping) of general unintegrated decisions.

General unintegrated decisions are easy to spot on the time-event matrix. In period 1, decisions 6 and 13 stand alone; 8 and 12 are part of serial connections not integrations. Every other decision in period 1 is part of an integration. In periods 2 and 3, decisions 24, 25, 32, and 34 stand alone. Every other decision is part of an integration.